



The EDR Radius Map with GeoCheck[®]

**Glen Cove Substation
Grove Avenue
Glen Cove, NY 11542**

Inquiry Number: 939229.1s

March 10, 2003

The Source For Environmental Risk Management Data

3530 Post Road
Southport, Connecticut 06890

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	6
Orphan Summary	92
EPA Waste Codes	EPA-1
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-6
Physical Setting Source Map Findings	A-7
Physical Setting Source Records Searched	A-9

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2003 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY INFORMATION

ADDRESS

GROVE AVENUE
GLEN COVE, NY 11542

COORDINATES

Latitude (North): 40.856600 - 40° 51' 23.8"
Longitude (West): 73.622700 - 73° 37' 21.7"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 616088.5
UTM Y (Meters): 4523539.5

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 2440073-G5 HICKSVILLE, NY
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

Proposed NPL..... Proposed National Priority List Sites
CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP..... CERCLIS No Further Remedial Action Planned
RCRIS-TSD..... Resource Conservation and Recovery Information System
RCRIS-LQG..... Resource Conservation and Recovery Information System
ERNS..... Emergency Response Notification System

STATE ASTM STANDARD

SWF/LF..... Facility Register
CBS UST..... Chemical Bulk Storage Database
MOSF UST..... Major Oil Storage Facilities Database
VCP..... Voluntary Cleanup Agreements
SWTIRE..... Registered Waste Tire Storage & Facility List
SWRCY..... Registered Recycling Facility List

FEDERAL ASTM SUPPLEMENTAL

CONSENT..... Superfund (CERCLA) Consent Decrees

EXECUTIVE SUMMARY

Delisted NPL	National Priority List Deletions
FINDS	Facility Index System/Facility Identification Initiative Program Summary Report
HMIRS	Hazardous Materials Information Reporting System
MLTS	Material Licensing Tracking System
MINES	Mines Master Index File
NPL Liens	Federal Superfund Liens
PADS	PCB Activity Database System
RAATS	RCRA Administrative Action Tracking System
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
SSTS	Section 7 Tracking Systems
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

STATE OR LOCAL ASTM SUPPLEMENTAL

HSWDS	Hazardous Substance Waste Disposal Site Inventory
AST	Petroleum Bulk Storage
CBS AST	Chemical Bulk Storage Database
MOSF AST	Major Oil Storage Facilities Database

EDR PROPRIETARY HISTORICAL DATABASES

Coal Gas	Former Manufactured Gas (Coal Gas) Sites
-----------------------	--

BROWNFIELDS DATABASES

Brownfields	Brownfields Site List
VCP	Voluntary Cleanup Agreements

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the target property includes a tolerance of +/- 10 feet. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL ASTM STANDARD

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 01/29/2003 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LI TUNGSTEN CORP	GARVIES POINT RD.	1/2 - 1 WNW 35		85

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 01/15/2003 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTOCIRCUITS DIV/KOLLMORGEN C	31 SEA CLIFF AVE	1/4 - 1/2SSE	F20	20

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 09/09/2002 has revealed that there are 5 RCRIS-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RALLYE MOTORS, INC.	20 CEDAR SWAMP RD	1/8 - 1/4ENE	B5	9
PORTA SYSTEMS CORP	1 ALEXANDER PL	1/8 - 1/4ENE	B8	12
MICRONICS TECHNOLOGY	7 ALEXANDER PL	1/8 - 1/4ENE	B11	14
GLEN COVE CITY OF LEECH CIRCLE	LEECH CIR - NE CORNER	1/8 - 1/4NNW	12	15
S & G CLEANERS	10 CEDAR SWAMP RD	1/8 - 1/4NE	15	16

STATE ASTM STANDARD

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, has revealed that there are 7 SHWS sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PHOTOCIRCUITS CORPORATION	31 SEA CLIFF AVENUE	1/4 - 1/2SSE	F21	24
SLATER ELECTRIC INC	45 SEA CLIFF AVE	1/4 - 1/2SSE	E22	62
PALL CORPORATION	30-36 SEA CLIFF AVENUE	1/4 - 1/2SSE	F23	68
POWERS CHEMCO	71 CHARLES STREET	1/2 - 1 WNW	31	77
CAPTAIN'S COVE CONDOMINIUMS	GARVIES POINT ROAD	1/2 - 1 WNW	34	83

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LI TUNGSTEN	63 HERB HILL RD	1/2 - 1 WNW	H32	78
CROWN DYCKMAN UNIFORM RENTAL I	66 HERBHILL RD	1/2 - 1 WNW	H33	81

EXECUTIVE SUMMARY

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 15 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LEXUS CAR DEALER	20 CEDAR SWAMP ROAD	1/8 - 1/4 ENE	B7	11
GLEN COVE HS	DESORIS AVENUE	1/8 - 1/4 E	C9	12
GLEN COVE SCHOOLS	CEDAR SWAMP ROAD	1/8 - 1/4 E	C10	13
MAN PRODUCTS	100 CARNEY STREET	1/8 - 1/4 SE	D13	15
BONO RESIDENCE	27 1ST STREET	1/4 - 1/2 E	17	17
A-1 RECYCLING & SALVAGE	45B SEACLIFF AVENUE	1/4 - 1/2 SSE	E18	18
KEYCO MOTOR FREIGHT	45B SEACLIFF AVENUE	1/4 - 1/2 SSE	E19	19
SLATER ELECTRIC INC	45 SEA CLIFF AVE	1/4 - 1/2 SSE	E22	62
HARBOR FUEL	10 SEACLIFF AVENUE	1/4 - 1/2 SSE	24	70
GLEN COVE WATER DISTRICT	KELLY STREET	1/4 - 1/2 E	25	71
TROUSDALL VILLAGE APTS	SEACLEFF AVENUE	1/4 - 1/2 SSW	G26	72
TROUSDELL VILLAGE	SEA CLIFF AVENUE	1/4 - 1/2 SSW	G27	73
GLEN PEARSALL CO OP	30-34 PEARSALL ROAD	1/4 - 1/2 NNE	28	74
HILLMAN RESIDENCE	4 COLONIAL GATE	1/4 - 1/2 W	29	75
ST.PATRICK'S RC CHURCH	235 GLEN STREET	1/4 - 1/2 N	30	76

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 5 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
TOFFA, PETER	15 HAZEL ST	0 - 1/8 ESE	A2	7
RALLYE MOTORS, INC.	20 CEDAR SWAMP RD	1/8 - 1/4 ENE	B5	9
RALLYE LEXUS, INC.	20 CEDAR SWAMP ROAD	1/8 - 1/4 ENE	B6	10
MANN PRODUCTS	100 CARNEY ST	1/8 - 1/4 SE	D14	16
GLEN COVE WATER DISTRICT	CARNEY ST	1/8 - 1/4 SSE	16	17

FEDERAL ASTM SUPPLEMENTAL

RODS: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, has revealed that there is 1 ROD site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LI TUNGSTEN CORP	GARVIES POINT RD.	1/2 - 1 WNW	35	85

EXECUTIVE SUMMARY

STATE OR LOCAL ASTM SUPPLEMENTAL

SPILLS: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, has revealed that there are 3 NY Spills sites within approximately 0.125 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
UNK LANDLORD	11 CAPOBIANCO STREET	0 - 1/8 SSE	1	6
Not reported	HAZEL STREET/GROVE STRE	0 - 1/8 ESE	A3	7
RESIDENCE	20 GROVE ST	0 - 1/8 ESE	4	8

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
GIOVANNIELLO RESIDENCE	LTANKS
CITY OF GLEN COVE	LTANKS
238C GLEN COVE AVENUE	LTANKS
NORTH SHORE UNIV HOSP GLEN COVE (M	UST
GLEN COVE DANAS HWY PUMP STATION	UST, AST
GLEN COVE PUMP STATION	UST
GLEN COVE CITY HOMES SEWAGE LIFT S	UST
GLEN COVE SEAMAN RD STA.	UST, AST
INACTIVE - GLEN COVE WATER	UST
FAIRVIEW VOLKSWAGEN SERVICE	RCRIS-SQG, FINDS
GLEN COVE CITY OF SEAMAN RD WELL S	RCRIS-SQG, FINDS
LONG ISLAND POWER AUTH ORCHARD SUB	FINDS, RCRIS-LQG
GLEN COVE STATION	NY Spills
GLEN COVE DAY CARE CENTER	NY Spills
SOLOMAN SCHECTER SCHOOL	NY Spills
CEDAR SWAMP ROAD	NY Spills
IN GLEN COVE HARBOR	NY Spills
HESS S/S	NY Spills
LIRR	NY Spills
LIRR	NY Spills
GAS STATION	NY Spills
UNK CONSTRUCTION CO	NY Spills
LILCO	NY Spills
UNK	NY Spills
SLOMINS OIL	NY Spills
GLEN STREET E/O PULASKI	NY Spills
GLEN COVE STATION	NY Spills
UNK	NY Spills
UNK	NY Spills
GLEN COVE RD/NORTHERN BLV	NY Spills
C&J SERVICE STATION	NY Spills
CITY OF GLEN COVE	NY Spills
GLEN COVE YACHT CLUB	NY Spills
CITY OF GLEN COVE	NY Spills
UNK	NY Spills
DUCK POND ROAD	CBS UST

OVERVIEW MAP - 939229.1s - GEI Consultants Inc.



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- ☒ National Priority List Sites
- ☒ Landfill Sites


- ⚡ Power transmission lines
- ⚡ Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- Wetlands



TARGET PROPERTY: Glen Cove Substation
ADDRESS: Grove Avenue
CITY/STATE/ZIP: Glen Cove NY 11542
LAT/LONG: 40.8566 / 73.6227

CUSTOMER: GEI Consultants Inc.
CONTACT: Lynn Willey
INQUIRY #: 939229.1s
DATE: March 10, 2003 2:25 pm

DETAIL MAP - 939229.1s - GEI Consultants Inc.



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- Sensitive Receptors
- National Priority List Sites
- Landfill Sites

- 0 1/16 1/8 1/4 Miles
- ⚡ Power transmission lines
- ⚡ Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- Wetlands

TARGET PROPERTY: Glen Cove Substation
ADDRESS: Grove Avenue
CITY/STATE/ZIP: Glen Cove NY 11542
LAT/LONG: 40.8566 / 73.6227

CUSTOMER: GEI Consultants Inc.
CONTACT: Lynn Willey
INQUIRY #: 939229.1s
DATE: March 10, 2003 2:27 pm

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.000	0	0	0	1	NR	1
Proposed NPL		1.000	0	0	0	0	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.250	0	0	NR	NR	NR	0
CORRACTS		1.000	0	0	1	0	NR	1
RCRIS-TSD		0.500	0	0	0	NR	NR	0
RCRIS Lg. Quan. Gen.		0.250	0	0	NR	NR	NR	0
RCRIS Sm. Quan. Gen.		0.250	0	5	NR	NR	NR	5
ERNS		TP	NR	NR	NR	NR	NR	0
<u>STATE ASTM STANDARD</u>								
State Haz. Waste		1.000	0	0	3	4	NR	7
State Landfill		0.500	0	0	0	NR	NR	0
LTANKS		0.500	0	4	11	NR	NR	15
UST		0.250	1	4	NR	NR	NR	5
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	1	NR	1
Delisted NPL		1.000	0	0	0	0	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
HSWDS		0.500	0	0	0	NR	NR	0
AST		TP	NR	NR	NR	NR	NR	0
CBS AST		0.250	0	0	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
NY Spills		0.125	3	NR	NR	NR	NR	3

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
<u>EDR PROPRIETARY HISTORICAL DATABASES</u>								
Coal Gas		1.000	0	0	0	0	NR	0
<u>BROWNFIELDS DATABASES</u>								
Brownfields		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0

NOTES:

AQUIFLOW - see EDR Physical Setting Source Addendum

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

**1
 SSE
 < 1/8
 325 ft.
 Higher**

**UNK LANDLORD
 11 CAPOBIANCO STREET
 GLEN COVE, NY**

**NY Spills S102566741
 N/A**

SPILLS:

Spill Number:	9204971	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK LANDLORD		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/03/1992		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	07/30/1992 14:10	Reported to Dept:	07/30/1992 16:36
Cleanup Ceased:	08/03/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/10/1992		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/03/1992		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	2		
Units:	Gallons		
Unknown Qty Spilled:	2		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#2 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#2 FUEL OIL		
Last Date:	12/07/1994		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

UNK LANDLORD (Continued)

S102566741

Num Times Material Entry In File: 24464
 Remark: CUSTOMER NOTICED FUEL ON BASEMENT FLOOR, CALLED GIFFORDS OIL, PLUGGED HO
 LE IN TANK BOTTOM. APPLIED SPEEDI DRY
 DEC Remarks: Not reported

**A2
 ESE
 < 1/8
 375 ft.
 Higher**

**TOFFA, PETER
 15 HAZEL ST
 GLEN COVE, NY 11542**

**UST U003848137
 N/A**

Site 1 of 2 in cluster A

NY UST NCFM:

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 100
 Tank Contents: LPG

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 100
 Tank Contents: LPG

**A3
 ESE
 < 1/8
 405 ft.
 Higher**

**HAZEL STREET/GROVE STREET
 GLEN COVE, NY**

**NY Spills S104649113
 N/A**

Site 2 of 2 in cluster A

SPILLS:

Spill Number: 9902653	Region of Spill: 1
Facility Contact: CALLER	Facility Tele: () -
Investigator: CIRRITO	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: ADAM YABLONSKY	Spiller Phone: (516) 824-2485
Spiller: KEYSpan	
Spiller Address: 445 BROADHOLLOW ROAD MELVILLE, NY 11747	

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/20/1999	Resource Affected: In Sewer
Spill Cause: Equipment Failure	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Responsible Party	Reported to Dept: 06/08/1999 06:27
Spill Date: 06/08/1999 03:00	
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 12/21/1999	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 06/08/1999	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104649113

Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 4
 Units: Gallons
 Unknown Qty Spilled: 4
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: TRANSFORMER OIL
 Class Type: Petroleum
 Chem Abstract Service Number: TRANSFORMER OIL
 Last Date: 09/26/1994
 Num Times Material Entry In File: 533
 Remark: CALLER ADVISED THAT TRANSFORMER FAILED CAUSING 4 QTS TO SPRAY ON GROUND. FIRE DEPT USE HOLE LINE AND WASHED SOME OF THE PRODUCT INTO THE STORM DRAIN. CLEAN UP WILL TAKE PLACE ASAP.
 DEC Remarks: MESSAGE FROM YABLONSKY: CLEANUP IN PROGRESS BY KEYSpan HAZ MAT CREW CLEANUP COMPLETED, NO FURTHER ACTION GUZZLER USED TO CLEAN OUT DRAIN, TRADEWINDS WAS HIRED

4
 ESE
 < 1/8
 507 ft.
 Higher

RESIDENCE
20 GROVE ST
GLEN COVE, NY

NY Spills S102100970
N/A

SPILLS:

Spill Number: 9412745	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: RESIDENCE	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 12/23/1994	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Affected Persons	PBS Number: Not reported
Spill Date: 12/22/1994 19:56	Reported to Dept: 12/22/1994 00:06
Cleanup Ceased: 12/23/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 12/27/1994	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S102100970

Date Spill Entered In Computer Data File: 12/23/1994
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Remark: PIN HOLE LEAK IN FILL LINE FROM TANK TO HEATER APPROX 1/2 GAL LEAKED ONT
O CONCRETE FLOOR, REPAIRMAN FROM COMMANDER WILL CLEAN SPILL AS SOON AS L
INE IS REPAIRED, LINE BEING REPLACED AT THIS TIME

DEC Remarks: 12/23/94: NO RESPONSE NEEDED.

B5
ENE
1/8-1/4
831 ft.
Higher

RALLYE MOTORS, INC.
20 CEDAR SWAMP RD
GLEN COVE, NY 11542

RCRIS-SQG 1000293623
FINDS NYD013600523
UST

Site 1 of 5 in cluster B

RCRIS:

Owner: GEORGE MOSS
(212) 555-1212
EPA ID: NYD013600523
Contact: AXEL SCHOELLER
(516) 671-8000

Classification: Small Quantity Generator
Used Oil Recyc: No
TSD Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
Area of Violation: GENERATOR-GENERAL REQUIREMENTS
Date Violation Determined: 01/05/1988
Actual Date Achieved Compliance: 07/21/1989
Enforcement Action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 07/21/1989
Penalty Type: Final Monetary Penalty

There are 1 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Non-Financial Record Review	GENERATOR-GENERAL REQUIREMENTS	19890721

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

RALLYE MOTORS, INC. (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000293623

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

NY UST NCFM:

Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	1000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR STEEL	Tank Size:	4000
Tank Contents:	EMPTY		
Tank Type:	OUTDOOR UG HOR D/W F/G	Tank Size:	4000
Tank Contents:	LOW UNLEADED GASOLINE		

**B6
 ENE
 1/8-1/4
 831 ft.
 Higher**

**RALLYE LEXUS, INC.
 20 CEDAR SWAMP ROAD
 GLEN COVE, NY**

**UST U003534287
 N/A**

Site 2 of 5 in cluster B

Nassau County UST:

Facility ID:	041132	Tank ID:	0008
Tank Location:	Indoors, Belowground	Capacity:	00002500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Double Walled Fiberglass	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	ELECTRONIC	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	121989
Owner Name:	RALLYE LEASING, INC.		
Address:	1600 NORTHERN BLVD.		

ROSLYN, NY 11576

Permittee Name: Not reported
 Address:

Facility ID:	041132	Tank ID:	0009
Tank Location:	Indoors, Belowground	Capacity:	00002500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, MOTOR		
Leak Detect:	ELECTRONIC	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	121989
Owner Name:	RALLYE LEASING, INC.		
Address:	1600 NORTHERN BLVD.		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

RALLYE LEXUS, INC. (Continued)

EDR ID Number
EPA ID Number

Database(s)

U003534287

Permittee Name: ROSLYN, NY 11576
Not reported
Address:

**B7
ENE
1/8-1/4
831 ft.
Higher**

**LEXUS CAR DEALER
20 CEDAR SWAMP ROAD
GLEN COVE, NY**

**LTANKS S102659784
N/A**

Site 3 of 5 in cluster B

LTANKS:

Spill Number:	8907042	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LEUNG	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 674-0304
Spiller:	LEXUS CAR DEALER		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	01/28/1994		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	10/17/1989 14:31	Reported to Dept:	10/17/1989 16:58
Cleanup Ceased:	01/28/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	02/01/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	10/19/1989		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	GASOLINE		
Class Type:	Petroleum		
Chem Abstract Service Number:	GASOLINE		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

LEXUS CAR DEALER (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S102659784

Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: 01/28/94: ONE TANK PULLED, NO PROBLEM, THE OTHER TANK PASSED TANK ALONE
 11/17/89, NO OTHER ACTIONS NEEDED.
 Spill Cause: 2-4K FAILED AT -.100 GPH. TANK SPECIALIST TESTE. LOOSE FITTING SON TANK,
 , PUMPED DOWN WILL REPAIR AND RETEST THURSDAY. FM ON SCENE

**B8
 ENE
 1/8-1/4
 844 ft.
 Higher**

**PORTA SYSTEMS CORP
 1 ALEXANDER PL
 GLEN COVE, NY 11542**

**RCRIS-SQG 1000405968
 FINDS NYD002055820**

Site 4 of 5 in cluster B

RCRIS:

Owner: PORTA SYSTEMS CORP
 (516) 364-9300
 EPA ID: NYD002055820
 Contact: DANIEL MATO
 (516) 364-9300

Classification: Small Quantity Generator
 Used Oil Recyc: No
 TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 03/11/1992
 Actual Date Achieved Compliance: 03/11/1992
 Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 03/11/1992
 Penalty Type: Not reported

There are 1 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19920311

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

CT MANIFEST

Additional detail is available in CT MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

**C9
 East
 1/8-1/4
 843 ft.
 Higher**

**GLEN COVE HS
 DESORIS AVENUE
 GLEN COVE, NY**

**LTANKS S104276290
 N/A**

Site 1 of 2 in cluster C

LTANKS:

Spill Number: 8706069
 Facility Contact: Not reported
 Investigator: GOERTZ FD
 Region of Spill: 1
 Facility Tele: Not reported
 SWIS: 28

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GLEN COVE HS (Continued)

S104276290

Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GLEN COVE HS		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	06/20/1988		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	10/19/1987 14:30	Reported to Dept:	10/19/1987 15:11
Cleanup Ceased:	06/20/1988		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	01/03/2000		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	10/21/1987		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#2 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#2 FUEL OIL		
Last Date:	12/07/1994		
Num Times Material Entry In File:	24464		
DEC Remarks:	11/13/87: TANK WAS REMOVED BY VOLINO IN THE PRESENCE OF NCDH. NO CONTAMINATION WAS FOUND.		
Spill Cause:	PETROTITE 2K UNK LEAK RATE		

**C10
 East
 1/8-1/4
 851 ft.
 Higher**

**GLEN COVE SCHOOLS
 CEDAR SWAMP ROAD
 GLEN COVE, NY
 Site 2 of 2 in cluster C**

**LTANKS S100147659
 N/A**

LTANKS:
 Spill Number: 8901128 Region of Spill: 1
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: LEUNG FD SWIS: 28

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GLEN COVE SCHOOLS (Continued)

S100147659

Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GLEN COVE SCHOOLS
Spiller Address: DESORIS LANE
GLEN COVE, NY
Spill Class: Not reported
Spill Closed Dt: 07/05/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/04/1989 14:00
Cleanup Ceased: 07/05/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/06/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/08/1989
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 07/04/89: TANK PASSED SYSTEM TEST AFTER VENT LINE WAS REPLACED NEW FEE
D RETURNS LINE INSTALLED. HIGH END OF TANK WAS BLEED BEFORE TEST.
Spill Cause: 5K GROSS LEAK. VOLINO SONS TESTER. WILL DIG UP TANK COLES SCHOOL

B11 MICRONICS TECHNOLOGY
ENE 7 ALEXANDER PL
1/8-1/4 GLEN COVE, NY 11542
894 ft.
Higher Site 5 of 5 in cluster B

RCRIS-SQG 1000556204
FINDS NYD986987634

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MICRONICS TECHNOLOGY (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000556204

RCRIS:

Owner: NON-NOTIFIER
212555121
EPA ID: NYD986987634
Classification: Small Quantity Generator
Used Oil Recyc: No
TSDf Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

12
NNW
1/8-1/4
935 ft.
Higher

**GLEN COVE CITY OF LEECH CIRCLE TANK
LEECH CIR - NE CORNER
GLEN COVE, NY 11542**

RCRIS-SQG 1000694389
FINDS NYD987007028

RCRIS:

Owner: CITY OF GLEN COVE
(516) 676-2000
EPA ID: NYD987007028
Contact: ANGELO MARTINO
(516) 676-2297
Classification: Small Quantity Generator
Used Oil Recyc: No
TSDf Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

D13
SE
1/8-1/4
965 ft.
Higher

**MAN PRODUCTS
100 CARNEY STREET
GLEN COVE, NY**

LTANKS 1000128489
N/A

Site 1 of 2 in cluster D

LTANKS:

Spill Number:	8702257	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	O'NEILL FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 671-0800
Spiller:	MAN PRODUCTS		
Spiller Address:	100 CARNEY STREET GLEN COVE, NY		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MAN PRODUCTS (Continued)

1000128489

Spill Class: Not reported
 Spill Closed Dt: 11/23/1988
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Spill Date: 06/19/1987 13:15
 Cleanup Ceased: 11/23/1988
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 02/24/1999
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 06/22/1987
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: / / : TYREE TESTER. 11/23/88: TANK WAS REMOVED ON 10/27/87 BY TYREE.
 NCHD ON SITE.TANK HAD NO HOLES SOIL WAS NOT CONTAMINATED.TANK WAS ACTU
 ALLY 1KK.
 Spill Cause: 1-550 GAL TANK FAILED SYSTEM TEST AT -.544. SECOND TANK AT SITE WILL PR
 OBABLY FAIL ALSO.

D14
 SE
 1/8-1/4
 965 ft.
 Higher

MANN PRODUCTS
100 CARNEY ST
GLEN COVE, NY
 Site 2 of 2 in cluster D

UST U003847160
 N/A

NY UST NCFM:
 Tank Type: OUTDOOR UG HOR STEEL Tank Size: 4000
 Tank Contents: EMPTY

15
 NE
 1/8-1/4
 967 ft.
 Higher

S & G CLEANERS
10 CEDAR SWAMP RD
GLEN COVE, NY 11542

RCRIS-SQG 1000107347
 FINDS NYD982737678

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

S & G CLEANERS (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000107347

RCRIS:

Owner: S&G CLEANERS & TAILORS INC
 (212) 555-1212
 EPA ID: NYD982737678
 Contact: SALVINO CATAUDELLA
 (516) 674-9604

Classification: Small Quantity Generator
 Used Oil Recyc: No
 TSDF Activities: Not reported
 Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 AIRS Facility System (AIRS/AFS)
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

**16
 SSE
 1/8-1/4
 990 ft.
 Higher**

**GLEN COVE WATER DISTRICT
 CARNEY ST
 GLEN COVE, NY 11542**

**UST U003845871
 N/A**

NY UST NCFM:

Tank Type: OUTDOOR UG HOR STEEL Tank Size: 550
 Tank Contents: DIESEL

**17
 East
 1/4-1/2
 1533 ft.
 Higher**

**BONO RESIDENCE
 27 1ST STREET
 GLEN COVE, NY**

**LTANKS S104516573
 N/A**

LTANKS:

Spill Number: 9913119	Region of Spill: 1
Facility Contact: WILLIAM TUDOR	Facility Tele: (516) 883-1000
Investigator: DONOVAN	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: MICHAEL BONO	Spiller Phone: (516) 676-6864
Spiller: MICHAEL BONO RESIDENCE	
Spiller Address: 27 1ST STREET GLEN COVE, NY	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 05/31/2000	
Spill Cause: Tank Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Other	PBS Number: Not reported
Spill Date: 02/17/2000 19:18	Reported to Dept: 02/17/2000 20:32
Cleanup Ceased: Not reported	
Last Inspection: Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BONO RESIDENCE (Continued)

S104516573

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/31/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/17/2000
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: SPILL CLEANED UP, 1/2 YARD TAKEN TO BIRDSBORO PA, NO FURTHER ACTION
Spill Cause: CALLER REPORTING A SPILL OF OIL FROM A RUPTURED TANK CLEAN UP IS IN THE
PROCESS AND TANK IS BEING PUMPED DRY NO CALLBACK NECESSARY

**E18
SSE
1/4-1/2
1665 ft.
Higher**

**A-1 RECYCLING & SALVAGE
45B SEACLIFF AVENUE
GLEN COVE, NY**

**LTANKS S102659807
N/A**

Site 1 of 3 in cluster E

LTANKS:

Spill Number: 9012049
Facility Contact: Not reported
Investigator: DEROSA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: A-1 RECYCLING & SALVAGE
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 03/22/1991
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 02/15/1991 14:00
Cleanup Ceased: 03/22/1991
Last Inspection: Not reported
Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 671-1910
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/15/1991 16:27

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

A-1 RECYCLING & SALVAGE (Continued)

S102659807

Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 03/22/1991
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 02/20/1991
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: 03/22/91: TANK REMOVAL, 10 YDS REMOVED. NO FURTHER ACTION NEEDED.
 Spill Cause: 5K TANK TEST INCONCLUSIVE, CONSIDERED FAILURE, 5K, TANK SPEC TESTER

**E19
 SSE
 1/4-1/2
 1665 ft.
 Higher**

**KEYCO MOTOR FREIGHT
 45B SEACLIFF AVENUE
 GLEN COVE, NY**

**LTANKS S102659763
 N/A**

Site 2 of 3 in cluster E

LTANKS:

Spill Number: 8800337	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: GOERTZ FD	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: KEYCO MOTOR FREIGHT	
Spiller Address: 45B SEACLIFF AVENUE GLEN COVE, NY	
Spill Class: Not reported	
Spill Closed Dt: 05/20/1988	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 04/11/1988 11:00	Reported to Dept: 04/11/1988 12:08
Cleanup Ceased: 05/20/1988	
Last Inspection: Not reported	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

KEYCO MOTOR FREIGHT (Continued)

S102659763

Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 03/18/1999
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 04/12/1988
 Date Region Sent Summary to Central Office: Not reported

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: DIESEL
 Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625

DEC Remarks: 05/06/88: UNICO RETESTED ALL 3 TANKS AFTER UNICO INSTALLED STICKLINES TO BLEED AIRPOCKETS SYSTEMS PASSED. DEC NOT PRESENT DURING RETEST.

Spill Cause: 2-4K TANKS WITH WATER IN THEM, 1-4K DIESEL. ALL THREE FAILED. UNICO TEST ER.

F20
SSE
1/4-1/2
1668 ft.
Higher

PHOTOCIRCUITS DIV/KOLLMORGEN CORP
31 SEA CLIFF AVE
GLEN COVE, NY 11542
Site 1 of 3 in cluster F

FINDS 1000415427
RCRIS-LQG 11542PHTCR31
TRIS
CORRACTS
CERC-NFRAP

CERCLIS-NFRAP Classification Data:

Site Incident Category: Not reported Federal Facility: Not a Federal Facility
 Non NPL Code: DR
 Ownership Status: Other NPL Status: Not on the NPL
 Site Description: PHOTOCIRCUITS PRODU PRINTED CIRCUIT BOARDS FOR ELECTR IND.

METALPLATING IS DONE WITH COPPER, TIN, NICKEL, & GOLD, CHROME-PLATING HAS BEEN DISCONTINUED. HYDROCARBON SOLVENTS USED FOR CLEANING IMAGE FORMATION. VARIOUS WSTE STREAMS ARE PRODUCED.

CERCLIS-NFRAP Assessment History:

Assessment:	DISCOVERY	Completed:	10/06/1986
Assessment:	PRELIMINARY ASSESSMENT	Completed:	12/30/1986
Assessment:	SITE INSPECTION	Completed:	09/27/1989
Assessment:	ARCHIVE SITE	Completed:	01/31/1997

CERCLIS-NFRAP Alias Name(s):
 PHOTOCIRCUITS DIV/KOLLMORGEN CORP

CORRACTS Data:

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PHOTOCIRCUITS DIV/KOLLMORGEN CORP (Continued)

1000415427

EPA Id: NYD096920483
 Region: 2
 State: NY
 Area Name: SITEWIDE
 Original Scheduled Date: Not reported
 New Scheduled Date: 08/09/1994
 Actual Date: Not reported
 Corrective Action: CA050 - RFA Completed

EPA Id: NYD096920483
 Region: 2
 State: NY
 Area Name: SITEWIDE
 Original Scheduled Date: Not reported
 New Scheduled Date: 03/30/1997
 Actual Date: Not reported
 Corrective Action: CA150 - RFI Workplan Approved

EPA Id: NYD096920483
 Region: 2
 State: NY
 Area Name: SITEWIDE
 Original Scheduled Date: Not reported
 New Scheduled Date: 09/27/1995
 Actual Date: Not reported
 Corrective Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective action priority

RCRIS Corrective Action Summary:

Event: RFI Workplan Approved
 Event Date: 03/30/1997
 Event: CA Prioritization, Facility or area was assigned a low corrective action priority.
 Event Date: 09/27/1995
 Event: RFA Completed
 Event Date: 08/09/1994

RCRIS:

Owner: KOLLMORGEN CORP
 (203) 327-7222
 EPA ID: NYD096920483
 Contact: JOSEPH SHAULYS
 (516) 448-1000
 Rank Status: 2
 Rank Date: 09/30/1995
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 TSD Activities: Not reported

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1999

<u>Waste</u>	<u>Quantity (Lbs)</u>	<u>Waste</u>	<u>Quantity (Lbs)</u>
D001	47348.40	D002	11734937.25
D004	1034.00	D006	1466.80
D007	1034.00	D008	655613.40

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PHOTOCIRCUITS DIV/KOLLMORGEN CORP (Continued)

1000415427

D009	44.00	D018	1466.80
D027	1466.80	D039	1466.80
D040	1466.80	F003	1034.00
F006	2225957.00	LABP	1045.00
P022	11.00	P098	11.00
U123	1034.00		

Violation Status: Violations exist

Regulation Violated: 373-3.9(d),373-3.4(c)(5)&(6)
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 06/24/2002
 Actual Date Achieved Compliance: Not reported

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 07/26/2002
 Penalty Type: Not reported

Regulation Violated: 373-3.2(g)(1),(2),(3)
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 06/24/2002
 Actual Date Achieved Compliance: Not reported

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 07/26/2002
 Penalty Type: Not reported

Regulation Violated: 6nycrr 373-3.2(g)(4)i)see copy
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 07/23/1999
 Actual Date Achieved Compliance: 08/26/1999

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 02/28/1986
 Penalty Type: Not reported

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 12/16/1986
 Penalty Type: Not reported

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 08/23/1999
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: GENERATOR-MANIFEST REQUIREMENTS
 Date Violation Determined: 01/28/1999
 Actual Date Achieved Compliance: 06/26/1999

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 01/28/1999
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: GENERATOR-LAND BAN REQUIREMENTS
 Date Violation Determined: 01/28/1999
 Actual Date Achieved Compliance: 06/26/1999

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 01/28/1999
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

PHOTOCIRCUITS DIV/KOLLMORGEN CORP (Continued)

1000415427

Date Violation Determined: 01/28/1999
Actual Date Achieved Compliance: 06/26/1999
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/28/1999
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 01/10/1995
Actual Date Achieved Compliance: 06/01/1995
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 01/10/1995
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 05/20/1988
Actual Date Achieved Compliance: 08/12/1988
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 06/10/1988
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-LAND BAN REQUIREMENTS
Date Violation Determined: 05/20/1988
Actual Date Achieved Compliance: 12/05/1988
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 03/29/1988
Actual Date Achieved Compliance: 09/23/1988
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 03/29/1988
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 10/31/1986
Actual Date Achieved Compliance: 02/26/1987
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 12/16/1986
Penalty Type: Not reported
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 12/11/1985
Actual Date Achieved Compliance: 02/26/1987
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 02/28/1986
Penalty Type: Not reported
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 12/16/1986
Penalty Type: Not reported
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 08/23/1999
Penalty Type: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PHOTOCIRCUITS DIV/KOLLMORGEN CORP (Continued)

1000415427

There are 12 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	
	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	
RCRA CEI done W/ Screening Checklist	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19990826
Compliance Evaluation Inspection	GENERATOR-MANIFEST REQUIREMENTS	19990626
	GENERATOR-LAND BAN REQUIREMENTS	19990626
	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19990626
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19950601
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19880812
	GENERATOR-LAND BAN REQUIREMENTS	19881205
Non-Financial Record Review	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19880923
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19870226
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19870226

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

CT MANIFEST

Additional detail is available in CT MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

- AIRS Facility System (AIRS/AFS)
- Biennial Reporting System (BRS)
- Facility Registry System (FRS)
- National Compliance Database (NCDB)
- National Emissions Trends (NET)
- Resource Conservation and Recovery Act Information system (RCRAINFO)
- Toxic Chemical Release Inventory System (TRIS)

F21
SSE
 1/4-1/2
 1668 ft.
 Higher

PHOTOCIRCUITS CORPORATION
31 SEA CLIFF AVENUE
GLEN COVE, NY 11542

Site 2 of 3 in cluster F

SHWS S101443142
AST N/A

SHWS:

EPA ID:	NYD09620483	Region:	1
Acres:	9.97	User:	Powers Chemco/Kollmorgen/Photocircuits
Owner:	Photocircuits Corporation 31 Sea Cliff Avenue Glen Cove, NY 115		
Owner Type:	OW		
Operator:	Photocircuits Corporation 31 Sea Cliff Avenue Glen Cove, NY 11542		
Operator Type:	OP		
Classification:	SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.		
Depth to Groundwater:	Range: 1 to 100 feet.		
Legal Action Type:	Consent Order		
Legal NY State:	X		
Legal Federal:	Not reported		
Legal state:	OS		
Facility ID Number	130009		
Dump:	Not reported		
Pond:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PHOTOCIRCUITS CORPORATION (Continued)

S101443142

Structure: Lagoon: Landfill: Lat/Long: Disposal Start: Disposal Term: Air Data: Air Violation: Ground Water Data: Surface Water Data: SW Violation: Sediment Data: Soil Data: Soil Type: Remediation Proposed: Remediation Active: Remediation Design: Remediation Type: Quantity: NPL Status: Hazardous Waste: Site Description:	Yes Not reported Not reported 40° 51' 5" / 73° 37' 19" 1954 present Not reported Not reported Yes Not reported Not reported Not reported Not reported Yes Silt-rich and sand-rich till. Not reported Yes Not reported IRM-Soil vapor extraction system. unknown --- 1,1,1-Trichloroethane {TCA (F001)} Photocircuits Corporation is one of several properties that comprise the Sea Cliff Avenue Industrial Area. The property was formerly owned by Powers Chemco (1954-1971) & Kollmorgen Corporation (1971-1986). Kollmorgen and Photocircuits manufactured printed circuit boards. Past investigations of this area have documented high concentrations of chlorinated organics in the groundwater underlying the site. To identify the source of these contaminants, a Preliminary Site Assessment (PSA) was conducted by the Nassau County Department of Public Works (NCDPW) through a Municipal Delegation Agreement with the NYSDEC. The investigation relied largely on compilation and interpretation of existing raw data. The PSA report noted the presence of volatile organic compounds (VOCs), particularly 1,1,1-trichloroethane (1,1,1-TCA), in the soil and groundwater associated with these premises, and identifies Photocircuits as a source of methylene chloride, 1,1,1-TCA and tetrachloroethene. The concentration in the aquifer is also well above the applicable Part 703 Groundwater Standard, and is thereby presenting a significant threat to the environment. In January of 1997, a site investigation was conducted by a consultant. Based on the results of this investigation, a Remedial Investigation / Interim Remedial Measure Work Plan was finalized in March 1997, and was executed in 1998. During the summer of 2000, a soil vapor extraction (SVE) system IRM was installed in the most contaminated area of the site. In addition a pilot study to use bio remediation to remediate groundwater contamination in the same area was begun. The SVE system is operating satisfactorily. The results of the bioremediation pilot study were unsatisfactory. In January 2002 Photocircuits conducted a pilot test for a hydraulic restraint system to prevent migration of VOCs from the site. Environmental Problems: Soil on the premises has been contaminated with VOCs, and this contamination has spread to the underlying sole-source aquifer. Health Problems: Soils and groundwater are contaminated with volatile organics. Exposures to contaminated soil are not expected because access to the site is restricted by fencing. Exposure to contaminated groundwater is not expected because public water serves the area. Three public supply wells at the Carney Street wellfield (located at the perimeter of Sea Cliff Industrial Area) were closed in 1977 due to impact from the
--	--

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

contaminant plume. The groundwater contamination could affect other area public supply wells; contamination in these wells, if any, would be detected by the routine monitoring required for public water supplies.

Nassau County AST:

Facility ID:	000003	Tank ID:	0003
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Fiberglass	Material Type:	Waste
Description:	COPPER CHLORIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	041980
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permitee Name: GLEN COVE, NY 11542
 PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0009
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	041972
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permitee Name: GLEN COVE, NY 11542
 PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0010
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Fiberglass	Material Type:	Fresh/Product
Description:	COPPER SULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	041972
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0011
Tank Location: Outdoors, Aboveground	Capacity (Gal): 4000
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Piping Type: Fiberglass	Material Type: Fresh/Product
Description: COPPER SULFATE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Submersible	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041972
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0014
Tank Location: Outdoors, Aboveground	Capacity (Gal): 4000
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Fiberglass	Material Type: Fresh/Product
Description: SODIUM PERSULFATE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Submersible	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041972
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0016
Tank Location: Indoors, Aboveground	Capacity (Gal): 5500
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: COPPER SULFATE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Submersible	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041972
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0019
Tank Location: Indoors, Aboveground	Capacity (Gal): 7000
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Fiberglass	Material Type: Fresh/Product
Description: AMMONIUM HYDROXIDE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Submersible	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041984
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0023
Tank Location: Indoors, Aboveground	Capacity (Gal): 5500
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: SODIUM HYDROXIDE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Submersible	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041972
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0024
Tank Location: Indoors, Aboveground	Capacity (Gal): 6000
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Piping Type: Fiberglass	Material Type: Fresh/Product
Description: HYDROGEN SULFIDE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Submersible	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041980
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: FIBERGLASS REINFORCED PLASTIC
Piping Type: Fiberglass
Description: SODIUM HYDROXIDE
Leak Detect: NONE
Dispense Method: Submersible
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0025
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0036
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 011983

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0037
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 011983

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0038
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM CHLORIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	011983
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0039
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	011983
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0040
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	011983
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0041
Tank Location: Indoors, Aboveground	Capacity (Gal): 300
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SODIUM HYDROXIDE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 011983
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0042
Tank Location: Indoors, Aboveground	Capacity (Gal): 300
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 011983
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0043
Tank Location: Indoors, Aboveground	Capacity (Gal): 300
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SULPHURIC ACID	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 011983
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0044
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 011983

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0045
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 011983

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0046
Capacity (Gal): 300
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 011983

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Outdoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: HYDROGEN PEROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0058
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WASTE TREATMENT
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0059
Capacity (Gal): 6000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0061
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0062
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0063
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: INORGANICS, MISC
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0064
Capacity (Gal): 15000
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 041980

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: NONE
 Piping Type: Steel/Iron
 Description: INORGANICS, MISC
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0068
 Capacity (Gal): 12000
 Tank Material: STEEL

Material Type: Waste

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: TANK, WASTE TREATMENT
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0069
 Capacity (Gal): 8000
 Tank Material: Fiberglass Reinforced Plastic

Material Type: Waste

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041980

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: TANK, WASTE TREATMENT
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0070
 Capacity (Gal): 8000
 Tank Material: Fiberglass Reinforced Plastic

Material Type: Waste

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041980

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0083
Tank Location: Indoors, Aboveground	Capacity (Gal): 900
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 101978
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0096
Tank Location: Indoors, Aboveground	Capacity (Gal): 1400
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: PLATING SOLUTION, COPPER	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 041981
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0097
Tank Location: Indoors, Aboveground	Capacity (Gal): 1400
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: PLATING SOLUTION, COPPER	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 041981
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: PLATING SOLUTION, COPPER
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0098
 Capacity (Gal): 1400
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: PLATING SOLUTION, COPPER
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0099
 Capacity (Gal): 1400
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: PLATING SOLUTION, TIN/LEAD
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0100
 Capacity (Gal): 1400
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041981

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: NICKEL PLATING SOLUTION
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0101
 Capacity (Gal): 1400
 Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: PLATING SOLUTION, TIN
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0102
 Capacity (Gal): 700
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: NONE
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0103
 Capacity (Gal): 600
 Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: No
 Install Date: 041981

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: SODIUM PERSULFATE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0104
Capacity (Gal): 400
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0107
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0108
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0109
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0110
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0111
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0112
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0113
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0114
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: NITRIC ACID
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0115
Capacity (Gal): 600
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 041981

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Steel/Iron
Description: POTASSIUM PERMANGANATE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0116
Capacity (Gal): 550
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 071984

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Steel/Iron
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0117
Capacity (Gal): 275
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 071984

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0118
Tank Location: Indoors, Aboveground	Capacity (Gal): 275
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SULPHURIC ACID	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 071984
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0119
Tank Location: Indoors, Aboveground	Capacity (Gal): 275
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SODIUM HYDROXIDE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 071984
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0120
Tank Location: Indoors, Aboveground	Capacity (Gal): 275
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 071984
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003 Tank ID: 0122
Tank Location: Indoors, Aboveground Capacity (Gal): 275
Tank Status: In Service Tank Material: Fiberglass Reinforced Plastic
Int Protection: None
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: TANK, WATER RINSE
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Suction Product Gauge: No
Fill Type: Pumped Install Date: 071984
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542
GLEN COVE, NY 11542

Facility ID: 000003 Tank ID: 0123
Tank Location: Indoors, Aboveground Capacity (Gal): 275
Tank Status: In Service Tank Material: Fiberglass Reinforced Plastic
Int Protection: None
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: TANK, WATER RINSE
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Suction Product Gauge: No
Fill Type: Pumped Install Date: 071984
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542
GLEN COVE, NY 11542

Facility ID: 000003 Tank ID: 0124
Tank Location: Indoors, Aboveground Capacity (Gal): 275
Tank Status: In Service Tank Material: Fiberglass Reinforced Plastic
Int Protection: None
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: DIETHYLENE GLYCOL N-BUTYL ETHER
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Suction Product Gauge: No
Fill Type: Pumped Install Date: 071984
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0125
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 071984

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0126
Capacity (Gal): 275
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 071984

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0128
Capacity (Gal): 120
Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: No
Install Date: 111975

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Steel/Iron
Description: TRICHLOROETHANE, 1,1,1-
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0154
Capacity (Gal): 100
Tank Material: STEEL

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011975

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: AMMONIUM HYDROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0159
Capacity (Gal): 200
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0160
Capacity (Gal): 50
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011980

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: AMMONIUM HYDROXIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0161
Capacity (Gal): 200
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0162
Capacity (Gal): 50
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: ELECTRO-BRITE 880 (SOLDER STRIP)
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0163
Capacity (Gal): 100
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011980

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0164
Capacity (Gal): 100
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011980

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: COPPER CHLORIDE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0165
Capacity (Gal): 200
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011985

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: NONE
Piping Type: Other
Description: TANK, WATER RINSE
Leak Detect: NONE
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0166
Capacity (Gal): 50
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: Yes
Install Date: 011985

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0170
Tank Location: Outdoors, Aboveground	Capacity (Gal): 20000
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: OIL, FUEL #2	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Gravity	Product Gauge: Yes
Fill Type: Pumped	Install Date: 111989
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0171
Tank Location: Outdoors, Aboveground	Capacity (Gal): 150
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: OTHER	
Piping Type: Steel/Iron	Material Type: Waste
Description: HYDROCHLORIC ACID	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 061989
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0172
Tank Location: Outdoors, Aboveground	Capacity (Gal): 150
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: OTHER	
Piping Type: Steel/Iron	Material Type: Waste
Description: SULPHURIC ACID	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 061989
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0173
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	POLYETHYLENE GLYCOL		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	061989
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0174
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1234
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	GLYCOLIC ACID "HYDROXYETHANOIC ACID"		
Leak Detect:	OTHER	Containment:	OTHER
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	081995
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0175
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1015
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	GLYCOLIC ACID "HYDROXYETHANOIC ACID"		
Leak Detect:	OTHER	Containment:	OTHER
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	081995
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0176
Tank Location: Indoors, Aboveground	Capacity (Gal): 1015
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Gravity	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0177
Tank Location: Indoors, Aboveground	Capacity (Gal): 1685
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Gravity	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0178
Tank Location: Indoors, Aboveground	Capacity (Gal): 1015
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Gravity	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0179
Tank Location: Indoors, Aboveground	Capacity (Gal): 1685
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Gravity	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0180
Tank Location: Indoors, Aboveground	Capacity (Gal): 1685
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: TANK, WATER RINSE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Gravity	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0181
Tank Location: Indoors, Aboveground	Capacity (Gal): 990
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SULPHURIC ACID	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Gravity	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0182
Capacity (Gal): 1425
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0183
Capacity (Gal): 1425
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0184
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: NONE
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: OTHER
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0185
 Capacity (Gal): 1685
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
 Product Gauge: No
 Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: NONE
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: OTHER
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0186
 Capacity (Gal): 1685
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
 Product Gauge: No
 Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: NONE
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: OTHER
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0187
 Capacity (Gal): 1685
 Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
 Product Gauge: No
 Install Date: 081995

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0188
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0189
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0190
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0191
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0192
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0193
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0194
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0195
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0196
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

GLEN COVE, NY 11542

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0197
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0198
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

Permittee Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other
Description: SULPHURIC ACID
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Owner Name: PHOTOCIRCUITS CORPORATION
Address: 31 SEACLIFF AVE.

Tank ID: 0199
Capacity (Gal): 1685
Tank Material: PLASTIC

Material Type: Fresh/Product

Containment: OTHER
Product Gauge: No
Install Date: 081995

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0200
Tank Location: Indoors, Aboveground	Capacity (Gal): 1685
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SULPHURIC ACID	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0201
Tank Location: Indoors, Aboveground	Capacity (Gal): 1685
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SULPHURIC ACID	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0202
Tank Location: Indoors, Aboveground	Capacity (Gal): 1685
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SULPHURIC ACID	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0203
Tank Location: Indoors, Aboveground	Capacity (Gal): 7200
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: Internal Lining	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: AMMONIUM CHLORIDE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0204
Tank Location: Indoors, Aboveground	Capacity (Gal): 3200
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: Internal Lining	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Piping Type: Other	Material Type: Fresh/Product
Description: AMMONIUM CHLORIDE	
Leak Detect: OTHER	Containment: OTHER
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 081995
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003	Tank ID: 0218
Tank Location: Indoors, Aboveground	Capacity (Gal): 5500
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Int Protection: Internal Lining	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Piping Type: Other	Material Type: Waste
Description: SULPHURIC ACID	
Leak Detect: OTHER	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 041996
Owner Name: PHOTOCIRCUITS CORPORATION	
Address: 31 SEACLIFF AVE.	

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101443142

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: FIBERGLASS REINFORCED PLASTIC
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: OTHER
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0219
 Capacity (Gal): 4000
 Tank Material: Fiberglass Reinforced Plastic

Material Type: Waste

Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 041996

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: FIBERGLASS REINFORCED PLASTIC
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: OTHER
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0220
 Capacity (Gal): 4000
 Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 041996

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

GLEN COVE, NY 11542

Facility ID: 000003
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: Internal Lining
 Ext Protection: FIBERGLASS REINFORCED PLASTIC
 Piping Type: Other
 Description: HYDROCHLORIC ACID
 Leak Detect: OTHER
 Dispense Method: Suction
 Fill Type: Pumped
 Owner Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

Tank ID: 0221
 Capacity (Gal): 10000
 Tank Material: Fiberglass Reinforced Plastic

Material Type: Fresh/Product

Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 041996

GLEN COVE, NY 11542

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

PHOTOCIRCUITS CORPORATION (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Permittee Name: PHOTOCIRCUITS CORPORATION
 Address: 31 SEACLIFF AVE.

S101443142

GLEN COVE, NY 11542

Facility ID:	000003	Tank ID:	0222
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	041996
Owner Name:	PHOTOCIRCUITS CORPORATION		
Address:	31 SEACLIFF AVE.		

Permittee Name: GLEN COVE, NY 11542
 Address: PHOTOCIRCUITS CORPORATION
 31 SEACLIFF AVE.

GLEN COVE, NY 11542

E22
SSE
1/4-1/2
1668 ft.
Higher

SLATER ELECTRIC INC
45 SEA CLIFF AVE
GLEN COVE, NY 11542
Site 3 of 3 in cluster E

RCRIS-SQG **1000400658**
SHWS **NYD002036564**
FINDS
CBS AST
LTANKS
NY Spills

RCRIS:

Owner: SLATER ELECTRIC INC
 (212) 555-1212
 EPA ID: NYD002036564
 Contact: GALLAS GUNTHER
 (516) 671-7000

Classification: Small Quantity Generator
 Used Oil Recyc: No
 TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 03/03/1995
 Actual Date Achieved Compliance: 03/22/1995

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 03/03/1995
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
 Date Violation Determined: 02/03/1986
 Actual Date Achieved Compliance: 09/25/1986

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 03/19/1986
 Penalty Type: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SLATER ELECTRIC INC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000400658

There are 2 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19950322
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19950322
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19860925

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

- AIRS Facility System (AIRS/AFS)
- Facility Registry System (FRS)
- Resource Conservation and Recovery Act Information system (RCRAINFO)
- Toxic Chemical Release Inventory System (TRIS)

SHWS:

EPA ID:	Not reported	Region:	1
Acres:	7.96	User:	Slater Electric/Enal Development Corp.
Owner:	Alpha Forty Five, LLC 31 Sea Cliff Avenue Glen Cove, NY 115		
Owner Type:	OW		
Operator:	Slater Development Corp. - Pass and 45 Sea Cliff Avenue Glen Cove, NY 11542		
Operator Type:	OP		
Classification:	SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.		

Depth to Groundwater:	Range: 5 to 10 feet.
Legal Action Type:	Consent Order
Legal NY State:	X
Legal Federal:	Not reported
Legal state:	OS
Facility ID Number	130053A
Dump:	Not reported
Pond:	Not reported
Structure:	Yes
Lagoon:	Not reported
Landfill:	Not reported
Lat/Long:	40° 51' 5" / 73° 37' 21"
Disposal Start:	1959
Disposal Term:	present
Air Data:	Not reported
Air Violation:	Not reported
Ground Water Data:	Yes
Surface Water Data:	Not reported
SW Violation:	Not reported
Sediment Data:	Not reported
Soil Data:	Yes
Soil Type:	Sand and gravel.
Remediation Proposed:	Not reported
Remediation Active:	Yes
Remediation Design:	Not reported
Remediation Type:	IRM-Soil vapor extraction system.
Quantity:	unknown

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SLATER ELECTRIC INC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000400658

NPL Status: ---

Hazardous Waste: Tetrachloroethylene (FOO1)

Site Description: The Pass and Seymour property is located in the Sea Cliff Avenue Industrial Area. It was constructed in 1959 and used as an industrial facility by Slater Electric. Additions to the building were made in 1981. During 1988, Pass and Seymour, Legrande began operations at the premises, which is currently owned by Enal Development Corporation. Pass and Seymour produces electric components using an injection molding process. There are indoor and outdoor drum storage areas. The manufacturing process includes a degreasing operation which uses tetrachloroethylene (PCE) as the solvent. The solvent is stored in two tanks located outside of the building. A Preliminary Site Assessment (PSA), completed in 1994, used existing data from previous investigations. The PSA showed that PCE was found in the soil beneath the site, indicating past disposal of this compound on the property. PCE was also found in the groundwater under the site, at concentrations well above the applicable NYS Part 703 Class GA standard. This contamination is evidently originating at the Sea Cliff Avenue property, and because of the levels found, it is presenting a significant threat to the environment. Specifically, in 1977, the Carney Street Public Supply Wells were no longer able to be used as a source of potable water. Contamination from this site probably contributed to the levels of volatile organic compounds (VOCs) which caused the restricted usage of the wells. A site investigation was carried out in January 1997. Based on the results of this investigation, a Remedial Investigation/Interim Remedial Measure (RI/IRM) workplan was finalized in March 1997 and was conducted in 1998. Additional data collection to refine the remedial design and a pilot test for an AS/SVE IRM were done in 1999. The AS/SVE system was constructed in the summer of 2000 and is currently running satisfactorily, however, groundwater sampling results from January 2001 still show unacceptable levels of contamination in downgradient groundwater.

Environmental Problems: Mishandling, incidental spillage or improper disposal of hazardous wastes relative to the various activities at this site have resulted in contamination of the local groundwater and may have contributed to impacts on a nearby public water supply well.

Health Problems: Soil and groundwater are contaminated with volatile organics, primarily tetrachloroethene. Exposure to contaminated soil is not expected as site access is restricted. Exposure to contaminated groundwater is not expected because the area is served by public water. Three public water supply wells at the Carney Street Wellfield were closed in 1977 due to an impact from a contaminant plume. The groundwater contamination could affect other area public supply wells; however, water quality of the public water supply is monitored on a regular basis to safeguard the drinking water supply.

SPILLS:

Spill Number:	8700223	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	WALEK FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SLATER ELECTRIC		
Spiller Address:	45 SEACLIFF AVENUE		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SLATER ELECTRIC INC (Continued)

1000400658

GLEN COVE, NY
Spill Class: Not reported
Spill Closed Dt: 04/10/1987
Spill Cause: Deliberate
Water Affected: GLEN COVE CREEK
Spill Notifier: Citizen
Spill Date: 04/08/1987 12:00
Cleanup Ceased: 04/10/1987
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/23/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/10/1987
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: WASTE OIL
Class Type: Petroleum
Chem Abstract Service Number: WASTE OIL
Last Date: 09/27/1994
Num Times Material Entry In File: 9509
Remark: EMPLOYEE CHANGING OIL IN THEIR CARS IN PARKING LOT AND THROWING OIL AND FILTERS INTO CREEK.
DEC Remarks: / / : 4/9/87 DEC TO INVESTIGATE AND FOUND NOTHING.

Resource Affected: Surface Water
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/08/1987 13:48

CBS AST:

CBS Number: 1-000038 Telephone: (516) 671-7000
Owner: ENAL DEVELOPEMENT CORP
ONE EXECUTIVE BLVD
YONKERS, NY 10701
(914) 965-3990
Facility Status: Active
Total Tanks: 0
Tank Status: 0
Tank Error Status: No Missing Data
Tank Location: Aboveground on crib, rack or cradle
Install Date: 07/90
Capacity (Gal): 275
Tank Type: Steel/carbon steel
Substance: Single Hazardous Substance on DEC List

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SLATER ELECTRIC INC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000400658

Extrnl Protection:	Other	Pipe Location:	Aboveground
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	GALVANIZED STEEL	Haz Percent:	100
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Other		
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Tetrachloroethylene	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	127184
SPDES Number:	Not reported	ICS Number:	1-178473
Facility Type:	Manufacturing		
Operator:	SLATER ELECTRIC INC.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	SLATER ELECTRIC INC.	Emrgncy Phone:	(516) 671-7000
Certified Date:	05/02/1995	Expiration Date:	06/06/1997
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	A.V.R. REALTY COMPANY		
Mail Contact:	JOSEPH CAMPAGNOLO		
	711 STEWART AVENUE		
	GARDEN CITY, NY 11530		
Mail Phone:	(516) 222-0317		
Tank Secret:	False	Date Entered:	04/07/1989 08:11:17
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	2
Renew Date:	03/01/93	Date Expired:	06/06/95
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	No		
Unique Tank Id Number:	00009		
Date Pre-Printed Renewal App Form Was Last Printed:			03/03/1997
CBS Number:	1-000038	Telephone:	(516) 671-7000
Owner:	ENAL DEVELOPEMENT CORP		
	ONE EXECUTIVE BLVD		
	YONKERS, NY 10701		
	(914) 965-3990		
Facility Status:	Active		
Total Tanks	0		
Tank Status:	0		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	07/90		
Capacity (Gal):	275		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Other		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	GALVANIZED STEEL	Pipe Location:	Aboveground
Pipe Internal:	None		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

SLATER ELECTRIC INC (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000400658

Pipe External:	None	Haz Percent:	100
Pipe Containment:	Other		
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Tetrachloroethylene	Tank Closed:	00/00
PBS Number:	Not reported	SWIS Code:	2805
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	127184
SPDES Number:	Not reported	ICS Number:	1-178473
Facility Type:	Manufacturing		
Operator:	SLATER ELECTRIC INC.	Facility Town:	GLEN COVE (C)
Emrgncy Contact:	SLATER ELECTRIC INC.	Emrgncy Phone:	(516) 671-7000
Certified Date:	05/02/1995	Expiration Date:	06/06/1997
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	A.V.R. REALTY COMPANY		
Mail Contact:	JOSEPH CAMPAGNOLO 711 STEWART AVENUE GARDEN CITY, NY 11530		
Mail Phone:	(516) 222-0317		
Tank Secret:	False	Date Entered:	04/07/1989 08:11:32
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	2
Renew Date:	03/01/93	Date Expired:	06/06/95
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	No		
Unique Tank Id Number:	00010		
Date Pre-Printed Renewal App Form Was Last Printed:			03/03/1997

LTANKS:

Spill Number:	8707417	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	O'NEILL	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 671-7000
Spiller:	SLATER ELECTRIC INC.		
Spiller Address:	45 SEACLIFF AVENUE GLEN COVE, NY 11542		
Spill Class:	Not reported		
Spill Closed Dt:	06/29/1989		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	11/30/1987 12:30	Reported to Dept:	11/30/1987 13:21
Cleanup Ceased:	06/29/1989		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SLATER ELECTRIC INC (Continued)

1000400658

UST Involvement: False
Spill Record Last Update: 07/03/1989
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/02/1987
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: / / : SHUTDOWN. SLATER ELECTRIC WILL PUMP OUT. 06/29/89: MONITORING W
ELLS AT THIS LOCATION HAVE NOT SHOWED FLOATING OR DISSOLVED PRODUCT FOR
OVER A YEAR. THE TANK HAS BEEN FILLED WITH CEMENT.

Spill Cause: 10K U/G FAILED PETROTITE TEST-NO LEAK RATE-WOULDN T HOLD IN STANDPIPE

**F23
SSE
1/4-1/2
1669 ft.
Higher**

**PALL CORPORATION
30-36 SEA CLIFF AVENUE
GLEN COVE, NY 11542**

**SHWS S102872762
N/A**

Site 3 of 3 in cluster F

SHWS:
EPA ID: Not reported Region: 1
Acres: 4.66 User: Pall Corporation
Owner: multiple
Owner Type: OW
Operator: Pall Corporation
30-36 Sea Cliff Avenue
Glen Cove, NY 11542
Operator Type: OP
Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION
REQUIRED.
Depth to Groundwater: Range: 5 to 10 feet.
Legal Action Type: Consent Order
Legal NY State: X
Legal Federal: Not reported
Legal state: OS
Facility ID Number: 130053B
Dump: Not reported
Pond: Not reported
Structure: Yes
Lagoon: Not reported
Landfill: Not reported
Lat/Long: 40° 51' 9" / 73° 37' 21"

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PALL CORPORATION (Continued)

S102872762

expected because public water serves the area. Three public supply wells at the Carney Street wellfield (located in the Sea Cliff Industrial Area perimeters) were closed in 1977 due to an impact from the contaminant plume. The groundwater contamination could affect other area public supply wells. Water quality of the public water supply wells is monitored on a regular frequency to safeguard the drinking water supply.

**24
 SSE
 1/4-1/2
 1700 ft.
 Higher**

**HARBOR FUEL
 10 SEACLIFF AVENUE
 GLEN COVE, NY**

**LTANKS S102618961
 N/A**

LTANKS:

Spill Number:	8701073	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 676-2500
Spiller:	HARBOR FUEL		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/09/1997		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	05/07/1987 16:00	Reported to Dept:	05/07/1987 16:12
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	09/10/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/08/1987		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HARBOR FUEL (Continued)

S102618961

Material: DIESEL
 Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625
 DEC Remarks: / / : GI TO EXCAVATE AND RETEST.5. 1/26/90 550 REMOVED PER NCFM TROUS
 DELL
 Spill Cause: 1-550 TANK FAILED PETROTITE AT -.212GPH 1-1000 TANK FAILED PETROTITE AT
 -.336GPH

**25
 East
 1/4-1/2
 1870 ft.
 Higher**

**GLEN COVE WATER DISTRICT
 KELLY STREET
 GLEN COVE, NY**

**LTANKS S101339959
 N/A**

LTANKS:

Spill Number:	9409395	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GLEN COVE WATER DISTRICT		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	11/10/1994		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	10/13/1994 16:30	Reported to Dept:	10/14/1994 07:47
Cleanup Ceased:	11/10/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/17/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	10/22/1994		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

GLEN COVE WATER DISTRICT (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101339959

Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414
 DEC Remarks: 11/10/94: MANWAY GASKET REPAIRED AT TANK TOP, NO CONTAMINATION ENCOUNTER
 ED, SYSTEM PASSED RETEST 10/13/94, NO FURTHER ACTION.
 Spill Cause: A VOLINO SONS TESTER

**G26
 SSW
 1/4-1/2
 2117 ft.
 Higher**

**TROUSDALL VILLAGE APTS
 SEACLEFF AVENUE
 GLEN COVE, NY**

**LTANKS S100149927
 N/A**

Site 1 of 2 in cluster G

LTANKS:

Spill Number: 8801971	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: LUCE	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 775-2500
Spiller: TROUSDALL VILLAGE APTS	
Spiller Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)	
Spill Closed Dt: 07/05/1995	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 06/02/1988 16:00	Reported to Dept: 06/02/1988 16:45
Cleanup Ceased: 07/05/1995	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 01/10/2000	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 06/03/1988	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: 0	
Leak Rate Failed Tank: 0.00	
Gross Leak Rate: Not reported	
Material:	
Material Class Type: 1	
Quantity Spilled: 0	
Units: Gallons	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

TROUSDALL VILLAGE APTS (Continued)

S100149927

Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #4 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #4 FUEL OIL
 Last Date: 12/05/1994
 Num Times Material Entry In File: 1751
 DEC Remarks: Not reported
 Spill Cause: UNK TANK SIZE GROSS LEAK NO ACTION YET

**G27
 SSW
 1/4-1/2
 2117 ft.
 Higher**

**TROUSDELL VILLAGE
 SEA CLIFF AVENUE
 GLEN COVE, NY
 Site 2 of 2 in cluster G**

**LTANKS S100147553
 N/A**

LTANKS:

Spill Number: 8809146	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NCFM FD	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: TROUSDELL VILLAGE	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 02/24/1989	
Spill Cause: Tank Failure	Resource Affected: In Sewer
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Health Department	PBS Number: Not reported
Spill Date: 02/24/1989 00:01	Reported to Dept: 02/24/1989 09:30
Cleanup Ceased: 02/24/1989	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: Penalty Not Recommended	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 05/06/1999	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 02/27/1989	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: Not reported	
Leak Rate Failed Tank: Not reported	
Gross Leak Rate: Not reported	
Material:	
Material Class Type: 1	
Quantity Spilled: 0	
Units: Gallons	
Unknown Qty Spilled: No	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

TROUSDELL VILLAGE (Continued)

S100147553

Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 02/24/89: NO CLEANUP NEEDED. NO DEC RESPONSE NEEDED.
Spill Cause: PARKING LOT BEHIND BLDG.TEMP FUEL TANK TO TEMP BOILER LEAKING INTO DRYWE
LL.FM HAS BEEN NOTIFIED.

28
NNE
1/4-1/2
2174 ft.
Higher

**GLEN PEARSALL CO OP
30-34 PEARSALL ROAD
GLEN COVE, NY**

**LTANKS S100878858
N/A**

LTANKS:

Spill Number: 9313094 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: T/T/F SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 621-3737
Spiller: GLEN PEARSALL CO OP
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 02/03/1994 15:30 Reported to Dept: 02/04/1994 15:43
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/07/1994
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GLEN PEARSALL CO OP (Continued)

S100878858

Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: 12K FAILED AT -1.22432, PROTEST TESTER, NCDH WAS NOTIFIED,

**29
West
1/4-1/2
2321 ft.
Higher**

**HILLMAN RESIDENCE
4 COLONIAL GATE
GLEN COVE, NY**

**LTANKS S102669802
N/A**

LTANKS:

Spill Number: 9301817 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: NONE SWIS: 28
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 676-4432
Spiller: HILLMAN RESIDENCE
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/10/1993
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Other PBS Number: Not reported
Spill Date: 05/09/1993 12:51 Reported to Dept: 05/09/1993 12:59
Cleanup Ceased: 05/10/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/11/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

HILLMAN RESIDENCE (Continued)

S102669802

Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: F/O LINE FAILURE, SPEEDI DRI APPLIED, LINE REPLACED, NO RESPONSE NEEDED

**30
North
1/4-1/2
2334 ft.
Higher**

**ST.PATRICK'S RC CHURCH
235 GLEN STREET
GLEN COVE, NY**

**LTANKS S100148947
N/A**

LTANKS:

Spill Number: 8703053
Facility Contact: Not reported
Investigator: O'NEILL FD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: ST.PATRICKS RC CHURCH
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 02/17/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 07/15/1987 16:30
Cleanup Ceased: 02/17/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/24/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/16/1987
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 676-0276
Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 07/16/1987 08:30

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

ST.PATRICK'S RC CHURCH (Continued)

S100148947

Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: / / : F N TESTER. 02/17/89: BOTH TANKS WERE REMOVED ON SEPTEMBER 17-18TH.A TOTAL OF 20 YDS OF CONTAMINATED SOIL WAS REMOVED.
 Spill Cause: 2-2K PETROTITE SYSTEM CONVENT- -.223 GPH, CHURCH -.312GPH

**31
 WNW
 1/2-1
 4490 ft.
 Higher**

**POWERS CHEMCO
 71 CHARLES STREET
 GLEN COVE, NY 11542**

**SHWS S105586260
 N/A**

SHWS:
 EPA ID: Not reported Region: 1
 Acres: 1.4 User: Columbia Ribbon & Carbon Manufacturing
 Owner: Konica Imaging USA, Inc.
 71 Charles Street
 Glen Cove, NY 115
 Owner Type: OW
 Operator: Columbia Ribbon & Carbon Manufacturi
 71 Charles Street
 Glen Cove, NY 11542
 Operator Type: OP
 Classification: SITE IS PROPERLY CLOSED - REQUIRES CONTINUED MANAGEMENT
 Depth to Groundwater: Range: 1 to 10 feet.
 Legal Action Type: Consent Order -RD/RA
 Legal NY State: X
 Legal Federal: Not reported
 Legal state: OS
 Facility ID Number: 130028
 Dump: Yes
 Pond: Not reported
 Structure: Not reported
 Lagoon: Not reported
 Landfill: Not reported
 Lat/Long: 40° 51' 46" / 73° 38' 25"
 Disposal Start: 1950s
 Disposal Term: 1979
 Air Data: Not reported
 Air Violation: Not reported
 Ground Water Data: Yes
 Surface Water Data: Not reported
 SW Violation: Not reported
 Sediment Data: Not reported
 Soil Data: Yes
 Soil Type: Sand and gravel with clay lenses.
 Remediation Proposed: Not reported
 Remediation Active: Not reported
 Remediation Design: Not reported
 Remediation Type: SVE + GW treatment + air emissions treatment.
 Quantity: unknown
 267 drums (50 crushed)
 4645 tons of soil removed
 NPL Status: ---

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

POWERS CHEMCO (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S105586260

Hazardous Waste:	Inks Solvents (toluene) (FOO5) Ethylbenzene Ethylacetate
Site Description:	The Property adjacent to the Powers Chemco plant was purchased for use as a parking lot. The previous owner, Columbia Ribbon Co., had contaminated areas with inks and solvents, primarily toluene. Powers Chemco voluntarily submitted plans for a removal action to the DEC; drums and soil were removed in 1984 under a Consent Order. A supplemental hydrogeologic investigation and a Remedial Investigation/Feasibility Study (RI/FS) were also completed under a Consent Order. A Record of Decision (ROD) was signed on March 22, 1991. The remedy specified in the ROD calls for vacuum extraction of contaminated soils, groundwater collection and treatment, and air emission controls. The design was approved on June 29, 1993. The remedial system constructed at this site was completed in compliance with the ROD and the approved design. Start-up of the system has taken place and the system is operating as designed. Contamination exists at the site in soils and groundwater, however, the remedial effort is now in an operation, maintenance and monitoring phase. On August 28, 1996, the remedial system was temporarily shutdown in accordance with the criteria set forth in the Performance Analysis and Design Modification Plan. The remedial system was re-started in February 1997. A second temporary shutdown of the SVE system was implemented in September 1999 and the groundwater system in November 1999. A report containing a request for permanent shutdown is under review.
Environmental Problems:	Soil and groundwater contamination confirmed. The majority of the contamination is limited to the original disposal area. The remedial effort is now in an operation, maintenance and monitoring phase.
Health Problems:	On-site groundwater monitoring wells are contaminated with volatile organic compounds at levels above New York State Drinking Water Standards. Groundwater is moving south toward Glen Cove Creek, which discharges into Hempstead Harbor. Exposures to contaminated groundwater are not expected, as no public water supply wells are downgradient of the site. Soil gas sampling in 1992 indicated that contaminated soil vapors were not migrating in the direction of homes located on Place St. The completed implementation of the remedial plan further reduces the potential for contaminant migration.

H32 LI TUNGSTEN
WNW 63 HERB HILL RD
1/2-1 GLEN COVE, NY 11542
4556 ft.
Lower Site 1 of 2 in cluster H

RCRIS-SQG 1000422341
SHWS NYD057729964
FINDS
LTANKS

RCRIS:
 Owner: GLEN COVE DVLPMNT CO
 (212) 555-1212
 EPA ID: NYD057729964
 Contact: NANCY NYMAN
 (301) 727-3357
 Classification: Small Quantity Generator
 Used Oil Recyc: No
 TSDF Activities: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

LI TUNGSTEN (Continued)

1000422341

prepared for this site by RTP Environmental Associates, Inc. Lead, cadmium and arsenic were found in groundwater at higher concentrations than NYS standards. Sludge samples collected from a sump and a drainage area showed high concentrations of lead (11,600 ppm), zinc (1010 ppm), nickel(4000 ppm) and copper (1800 ppm). Samples from waste piles on the site showed high concentrations of lead and chromium. Containerized waste on this site contains high concentrations of lead, cadmium, chromium, and barium. High concentrations of VOCs like tetrachloroethane (18,000 ppb), 1,1-dichloroethene (2000 ppb) and 1,2-dichloroethene (2100 ppb) were detected in groundwater. A lagoon and two small holes were identified as having received process water from the facility. The lagoon's liner has been perforated by vegetation growing through it. Twenty-three transformers on the site are believed to contain PCB contaminated oils. A soil sample has shown PCB contamination. A sample collected from approximately 30 open head drums showed PCB contamination up to 530 ppm. Buried drums and piles of solid residues were observed on Parcel III of the site. Low levels of radioactive waste also have been confirmed. This is a National Priorities List (NPL) site. An Interim Remedial Measure (IRM) was completed in January 1996. The IRM consisted of making the site safe to conduct a Remedial Investigation/Feasibility Study (RI/FS) and to remove radioactive ores and wastes. A RI/FS was completed in 1999. EPA has conducted remedial action on parcel A. The site's PRPs have entered into an agreement to complete remedial action on parcels B and C. Remedial design work is anticipated to be completed in the spring of 2002 with the remedial action beginning in the summer of 2002.

Environmental Problems:
 Health Problems:

Soil and groundwater contamination are evident at this site. On-site groundwater is contaminated with volatile organic compounds and metals, but exposures are not expected because public water which is routinely monitored serves the area. Soil on Parcels B and C of the site is contaminated with heavy metals and radioactive materials. These areas are fenced and contaminant removal will begin in 2002. Parcel A of the property has been remediated. Radiologically-contaminated dredge spoils from Glen Cove Creek are stockpiled on Parcel A in a secure area. Additional sediments will be dredged and disposed of. Testing at nearby beaches did not detect radiological contamination.

LTANKS:

Spill Number:	8810077	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	HOFMANN FD	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	LI TUNGSTON		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	05/02/1989		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Local Agency	PBS Number:	Not reported
Spill Date:	03/29/1989 12:00	Reported to Dept:	03/29/1989 15:20
Cleanup Ceased:	05/02/1989		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

LI TUNGSTEN (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000422341

Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 05/06/1999
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/31/1989
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 2
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: AMMONIUM HYDROXIDE
 Class Type: Hazardous
 Chem Abstract Service Number: AMMONIUM HYDROXIDE
 Last Date: Not reported
 Num Times Material Entry In File: 0
 DEC Remarks: 05/02/89: VALVE REPAIRED PROPERTY OWNER HIRED CONTRACTOR TO EMPTY TANK.S
 UPERFUND SITE.
 Spill Cause: JOHN CONOVER SOLID HAZ WASTE) WAS ON SITE WITH DAN RUSSELL. LEAKING A/
 G TANK

**H33
 WNW
 1/2-1
 4607 ft.
 Lower**

**CROWN DYCKMAN UNIFORM RENTAL INC
 66 HERBHILL RD
 GLEN COVE, NY 11542**

**RCRIS-SQG 1000437515
 SHWS NYD013599261
 FINDS
 CERC-NFRAP**

Site 2 of 2 in cluster H

CERCLIS-NFRAP Classification Data:
 Site Incident Category: Not reported Federal Facility: Not a Federal Facility
 Non NPL Code: NFRAP
 Ownership Status: Unknown NPL Status: Not on the NPL
 Site Description: THIS IS A 1-ACRE PROPERTY LOCATED IN GLEN COVE. IT IS NEXT TO LI
 TUGSTEN, AN NPL SITE DRY CLEANING SOLVENTS AND TANKS WERE PRESENT ON
 SITE. NYSDEC SITE NO 130054.
 CERCLIS-NFRAP Assessment History:
 Assessment: DISCOVERY Completed: 03/05/1993
 Assessment: PRELIMINARY ASSESSMENT Completed: 03/07/1993
 Assessment: SITE INSPECTION Completed: 04/15/1997
 Assessment: ARCHIVE SITE Completed: 09/30/1997

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CROWN DYCKMAN UNIFORM RENTAL INC (Continued)

1000437515

RCRIS:

Owner: CORPORATION
(212) 555-1212
EPA ID: NYD013599261
Contact: MAURICE BAUER
(516) 676-3333
Classification: Small Quantity Generator
Used Oil Recyc: No
TSD Activities: Not reported
Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

SHWS:

EPA ID: NYD013599261 Region: 1
Acres: 1 User: Herhill Assoc./Kalmon Dolgin Affiliates
Owner: Herhill Associates
21 Edwards Lane
Glen Cove, NY 115
Owner Type: OW
Operator: Tim Contarino
66 Herhill Road
Glen Cove, NY 11542
Operator Type: OP
Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION
REQUIRED.

Depth to Groundwater: Range: 5 to 10 feet.
Legal Action Type: Consent Order -RI/FS
Legal NY State: X
Legal Federal: Not reported
Legal state: OS
Facility ID Number: 130054
Dump: Not reported
Pond: Not reported
Structure: Yes
Lagoon: Not reported
Landfill: Not reported
Lat/Long: 40° 51' 43" / 73° 38' 21"
Disposal Start: 1955
Disposal Term: 1990
Air Data: Not reported
Air Violation: Not reported
Ground Water Data: Yes
Surface Water Data: Not reported
SW Violation: Not reported
Sediment Data: Not reported
Soil Data: Yes
Soil Type: Glacial till and sand, gravel, silt and clay.
Remediation Proposed: Yes
Remediation Active: Not reported
Remediation Design: Not reported
Remediation Type: IRM-Soil remediation.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CROWN DYCKMAN UNIFORM RENTAL INC (Continued)

1000437515

Quantity:	unknown
NPL Status:	---
Hazardous Waste:	Tetrachloroethylene {(PCE or "perc.")(U210)}
Site Description:	This facility, also known as 66 Herbhill Road, is located west of Charles Street and east of Dickson Lane. From 1932 thru 1975, the property was occupied by Dykman Laundry. From 1975 to 1983 (when they went out of business) Crown Uniform Services utilized the premises to dry clean and service uniforms. Crown originally used petroleum based stoddard solvent, which was later replaced by PCE. After Crown Uniform, the property was occupied by a number of businesses, including, F.B. Flipse Auto, an auto body shop. The Nassau County Department of Health sampled the pit in June of 1987 and found PCE at 2500 ppb; 1,1,1-trichloroethane at 45 ppb, toluene at 290 ppb and xylene at 7,600 ppb. S & W Laundry washed and pressed shirts in the backportion of the property at the same time that the Flipse auto body shop worked on the premises. In 1983, Proyarq 4-5 Inc., a woodworking company that used lacquer thinner, occupied the property. In 1990/1991, four underground solvent tanks and one gasoline tank, as well as a drum labeled "PERC"(PCE) were unearthed. Approximately 30 cubic yards of soil near the gasoline tank and approximately 55 cubic yards near the solvent tanks were removed. Soil near the solvent tanks showed PCE at 110 ppb; TCE at 40 ppb; and trans-1,2-dichloroethene (DCE) at 26 ppb. A water sample taken from the excavated pit found vinyl chloride at 60 ppb. Three groundwater monitoring wells were installed and sampled in February of 1992. One of the downgradient wells was found to be contaminated with PCE at 11,000 ppb; TCE at 4,000 ppb, trans-1,2-dichloroethylene at 94 ppb, & vinyl chloride at 330 ppb. A RI/FS Consent Order was signed. The results of the soils investigation conducted in August 1997 in the areas that formerly contained the underground storage tanks (USTs) and the indoor pit, did not show any detectable levels of TCE and its breakdown products. EPA data for the Li Tungsten site shows that the Crown Dykman site may also have contributed to the groundwater contamination at the Li Tungsten site. The RI/FS is underway and an IRM is planned to remediate on-site soils.
Environmental Problems:	Hazardous wastes have been released and are contaminating the sole source aquifer beneath the site with concentrations exceeding NYS Class GA groundwater standards.
Health Problems:	On-site subsurface soils are contaminated with volatile organic compounds and petroleum products. Groundwater from monitoring wells west of the site is contaminated with trichloroethene, tetrachloroethene, 1,2-dichloroethene and vinyl chloride at levels well above New York State standards for public drinking water supplies. The area is served by public drinking water, so exposure to contaminated groundwater is not expected. The current data are insufficient to further characterize the site. A remedial investigation is underway which will provide additional data that will be used to further characterize the exposure potential posed.

34 CAPTAIN'S COVE CONDOMINIUMS
 WNW GARVIES POINT ROAD
 1/2-1 GLEN COVE, NY 11542
 5122 ft.
 Higher

CERCLIS 1000855487
 SHWS 44501CLDMT45
 FINDS
 TRIS

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CAPTAIN'S COVE CONDOMINIUMS (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000855487

CERCLIS Classification Data:

Site Incident Category: Not reported Federal Facility: Not a Federal Facility
Non NPL Status: Other Cleanup Activity: State-Lead Cleanup
Ownership Status: Unknown NPL Status: Not on the NPL
Site Description: SITE HAS SEVERAL UNCOMPLETED MULTI-STORY IN THE PROPERTY. PUBLIC HEALTH THREATS RELATE TO POSSIBLE EXPOSURE OF SURFACE SOILS, AIRBORNE CONTAMINATION, AND POSSIBLE CONTAMINATION OF WATER BODIES. SITE HAS SEVERAL UNCOMPLETED MULTI-STORY IN THE PROPERTY . PUBLIC HEALTH THREATS RELATE TO POSSIBLE EXPOSURE OF SURFACE SOILS, AIRBORNE CONTAMINATION, AND POSSIBLE CONTAMINATION OF WATER BODIES.

CERCLIS Assessment History:

Assessment: DISCOVERY Completed: 09/21/1993
Assessment: REMOVAL ASSESSMENT Completed: 09/30/1994
Assessment: PRELIMINARY ASSESSMENT Completed: 09/29/1995
Assessment: SITE INSPECTION Completed: 09/29/1995

CERCLIS Site Status:

High

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)
Facility Registry System (FRS)

SHWS:

EPA ID: NYD000006937 Region: 1
Acres: 10.6 User: City of Glen Cove
Owner: Village Green Realty
50 South Glen Sreet
Glen Cove, NY 115
Owner Type: OW
Operator: City of Glen Cove
Main Street
Glen Cove, NY 11542
Operator Type: OP
Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.

Depth to Groundwater: Range: 5 to 10 feet.
Legal Action Type: Consent Order
Legal NY State: X
Legal Federal: Not reported
Legal state: OS
Facility ID Number: 130032
Dump: Yes
Pond: Not reported
Structure: Not reported
Lagoon: Not reported
Landfill: Not reported
Lat/Long: 40° 51' 24" / 73° 38' 53"
Disposal Start: unknown
Disposal Term: 12/1981
Air Data: Yes
Air Violation: Not reported
Ground Water Data: Yes
Surface Water Data: Not reported
SW Violation: Not reported
Sediment Data: Not reported
Soil Data: Yes
Soil Type: Fill over interbedded sands, gravel and clay.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

CAPTAIN'S COVE CONDOMINIUMS (Continued)

1000855487

Remediation Proposed: Not reported
 Remediation Active: Yes
 Remediation Design: Not reported
 Remediation Type: Landfill reclamation and deed restriction.
 Quantity: unknown
 unknown
 unknown
 unknown
 unknown
 NPL Status: ---
 Hazardous Waste: Benzene,
 1,1,2-Trichloroethylene (FOO1) (FOO2)
 Tetrachloroethylene
 Heavy Metals
 Chloroform
 Site Description: This site is in a highly industrialized area across the street from
 Mattiace Petrochemicals. Solid waste, hazardous waste, and C&D debris
 were dumped at the site. There is confirmation of off-site migration
 of waste. A radiological survey has been completed and has confirmed
 the disposal of radioactive waste from the nearby Li Tungsten site
 (Site No. 130046). The City of Glen Cove, the site owner at the time
 wastes were placed, and the current owner of the property, Village
 Green Realty, (presently bankrupt in the State of Maryland) signed a
 Consent Order to perform a Title 3 RI/FS to address the hazardous waste
 disposal. EPA is conducting a concurrent RI/FS to address the
 radiological waste from Li Tungsten. The State RI/FS has been
 completed and the ROD has been signed. The remedy calls for landfill
 reclamation and deed restriction. The design for the remedy was
 approved in February 2000 and the notice to proceed was given May 22,
 2000. Construction is now complete.
 Environmental Problems: Hazardous waste disposal has contaminated soil, air and groundwater.
 Groundwater is contaminated, however this is saline groundwater and
 will not be used for drinking.
 Health Problems: The site is secured and remediation nearly complete. Radiologically
 contaminated soil is stockpiled at the site and covered while awaiting
 removal under EPA's Li Tungsten remedial program. After remediation,
 the low level residual contamination will be capped to ensure that
 people will not be exposed.

**35
 WNW
 1/2-1
 5123 ft.
 Lower**

**LI TUNGSTEN CORP
 GARVIES POINT RD.
 GLEN COVE, NY 11542**

**CERCLIS 1000422343
 FINDS NYD986882660
 NPL
 ROD**

CERCLIS Classification Data:
 Site Incident Category: Not reported Federal Facility: Not a Federal Facility
 Non NPL Status: Not reported
 Ownership Status: Private NPL Status: Currently on the Final NPL
 Contact: ED ALS Contact Tel: (212) 637-4272
 Contact Title: Not reported
 Contact: CHARLES FITZSIMMONS Contact Tel: (908) 321-6608
 Contact Title: Not reported
 Site Description: LI TUNGSTEN IS AN ABANDONED TUNGSTEN POWDERS PROCESSING FACILITY.
 APPROXIMATELY 16, 000 TONS OF SLAG/ORE EXHIBITING LOW LEVELS OF
 BETA/GAMMA RADIATION ARE ON SITE.

CERCLIS Assessment History:
 Assessment: DISCOVERY Completed: 04/15/1989

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

LI TUNGSTEN CORP (Continued)

1000422343

Assessment:	NON-NPL PRP SEARCH	Completed:	07/21/1989
Assessment:	ADMIN ORDER ON CONSENT	Completed:	07/21/1989
Assessment:	PRELIMINARY ASSESSMENT	Completed:	09/27/1989
Assessment:	PRP REMOVAL	Completed:	06/12/1990
Assessment:	SITE INSPECTION	Completed:	09/25/1990
Assessment:	PROPOSAL TO NPL	Completed:	07/29/1991
Assessment:	FINAL LISTING ON NPL	Completed:	10/14/1992
Assessment:	ADMINISTRATIVE RECORDS	Completed:	11/15/1995
Assessment:	REMOVAL ASSESSMENT	Completed:	01/12/1996
Assessment:	REMOVAL	Completed:	01/12/1996
Assessment:	REMOVAL ASSESSMENT	Completed:	08/09/1996
Assessment:	REMOVAL	Completed:	08/09/1996
Assessment:	REMOVAL ASSESSMENT	Completed:	08/20/1996
Assessment:	REMOVAL NEGOTIATIONS	Completed:	09/30/1996
Assessment:	NPL RP SEARCH	Completed:	08/07/1998
Assessment:	REMOVAL	Completed:	10/29/1998
Assessment:	COMBINED RI/FS	Completed:	12/09/1998
Assessment:	CONSENT AGREEMENT (ADMINISTRATIVE)	Completed:	04/13/1999
Assessment:	Lodged By DOJ	Completed:	09/13/1999
Assessment:	COMBINED RI/FS	Completed:	09/30/1999
Assessment:	RECORD OF DECISION	Completed:	09/30/1999
Assessment:	COMBINED RI/FS	Completed:	09/30/1999
Assessment:	UNILATERAL ADMIN ORDER	Completed:	05/15/2000
Assessment:	RD/RA NEGOTIATIONS	Completed:	05/15/2000
Assessment:	CONSENT DECREE	Completed:	07/24/2000
Assessment:	CONSENT AGREEMENT (ADMINISTRATIVE)	Completed:	09/20/2000
Assessment:	UNILATERAL ADMIN ORDER	Completed:	09/29/2000
Assessment:	RD/RA NEGOTIATIONS	Completed:	09/29/2000
Assessment:	UNILATERAL ADMIN ORDER	Completed:	08/14/2001
Assessment:	REMOVAL NEGOTIATIONS	Completed:	08/14/2001
Assessment:	REMEDIAL ACTION	Completed:	09/28/2001
Assessment:	PRP RD	Completed:	01/09/2002

CERCLIS Site Status:
 Not reported

CERCLIS Alias Name(s):
 LI TUNGSTON
 LI TUNGSTEN CORP
 LI TUNGSTEN CORP.

NPL:
 EPA ID: NYD986882660
 Region: 02
 Federal: General
 Final Date: 10/14/1992

NPL Contaminant:
 NPL Status: Final
 Substance Id: A003
 Case Num: 7440-36-0
 Substance : ANTIMONY AND COMPOUNDS, NOS (SB)
 Pathway : NOT INDICATED
 GW Scoring : Not reported
 SW Scoring : Not reported
 Air Scoring: Not reported
 Soil Scoring: Not reported
 DC Scoring: Not reported
 FE Scoring: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LI TUNGSTEN CORP (Continued)

1000422343

NPL Status: Final
Substance Id: A011
Case Num: 7440-41-7
Substance : BERYLLIUM AND COMPOUNDS, NOS (BE)
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: A038
Case Num: 7440-02-0
Substance : NICKEL AND COMPOUNDS, NOS (NI)
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: A046
Case Num: 1336-36-3
Substance : POLYCHLORINATED BIPHENYLS, NOS
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: C146
Case Num: 7664-41-7
Substance : AMMONIA
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: C151
Case Num: 7439-89-6
Substance : IRON AND COMPOUNDS, NOS (FE)
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

LI TUNGSTEN CORP (Continued)

1000422343

NPL Status:	Final
Substance Id:	C178
Case Num:	7440-50-8
Substance :	COPPER AND COMPOUNDS, NOS (CU)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported
NPL Status:	Final
Substance Id:	C196
Case Num:	7647-01-0
Substance :	HYDROCHLORIC ACID
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported
NPL Status:	Final
Substance Id:	C201
Case Num:	7439-96-5
Substance :	MANGANESE AND COMPOUNDS, NOS (MN)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported
NPL Status:	Final
Substance Id:	C221
Case Num:	7440-14-4
Substance :	RADIUM AND COMPOUNDS, NOS (RA)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported
NPL Status:	Final
Substance Id:	C235
Case Num:	7440-29-1
Substance :	THORIUM AND COMPOUNDS, NOS (TH)
Pathway :	NOT INDICATED
GW Scoring :	Not reported
SW Scoring :	Not reported
Air Scoring:	Not reported
Soil Scoring:	Not reported
DC Scoring:	Not reported
FE Scoring:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LI TUNGSTEN CORP (Continued)

1000422343

NPL Status: Final
Substance Id: C245
Case Num: 7440-61-1
Substance : URANIUM AND COMPOUNDS, NOS (U)
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: C247
Case Num: 7440-66-6
Substance : ZINC AND COMPOUNDS, NOS (ZN)
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: C316
Case Num: 1310-73-2
Substance : SODIUM HYDROXIDE
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: D005
Case Num: 7440-39-3
Substance : BARIUM
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Status: Final
Substance Id: P030
Case Num: 420-04-2
Substance : CYANIDES (SOLUBLE SALTS), NOS
Pathway : NOT INDICATED
GW Scoring : Not reported
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

LI TUNGSTEN CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000422343

NPL Status: Final
Substance Id: C177
Case Num: 7440-48-4
Substance : COBALT AND COMPOUNDS, NOS (CO)
Pathway : The Ground water migration route , or pathway.
GW Scoring : Observed Release
SW Scoring : Not reported
Air Scoring: Not reported
Soil Scoring: Not reported
DC Scoring: Not reported
FE Scoring: Not reported

NPL Site:

CERCLIS Id: NYD986882660
Site City: Glen Cove
Site State: NY
NPL Status: Final
Status Date: 10/14/92
Federal Site: Not reported
HRS Score: 50.00
GW Score: 100.00
SW Score: 0.00
Air Score: 0.00
Soil Score: 0.00
DC Score: 0.00
FE Score: 0.00

NPL Char:

NPL Status: Final
Category Description: DEPTH TO AQUIFER
Category Value: >25 and <=50 feet

NPL Status: Final
Category Description: DISTANCE TO NEAREST POPULATION
Category Value: >1/4 and <=1/2 Mile

NPL Status: Final
Category Description: OBSERVED RELEASE-Ground Water
Category Value: Not reported

NPL Status: Final
Category Description: OTHER GROUND WATER USE-Unknown
Category Value: Not reported

NPL Status: Final
Category Description: PHYSICAL STATE-Liquid
Category Value: Not reported

NPL Status: Final
Category Description: PHYSICAL STATE-Solid
Category Value: Not reported

NPL Status: Final
Category Description: SITE ACTIVITY WASTE SOURCE-Manufacturing
Category Value: Not reported

NPL Status: Final
Category Description: SITE ACTIVITY WASTE SOURCE-Manufacturing Primary Metals
Category Value: Not reported

NPL Status: Final
Category Description: SURFACE WATER ADJACENT TO SITE-Bay

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

LI TUNGSTEN CORP (Continued)

1000422343

Category Value: Contamination Unknown
NPL Status: Final
Category Description: SURFACE WATER ADJACENT TO SITE-Ocean
Category Value: Contamination Unknown
NPL Status: Final
Category Description: SURFACE WATER ADJACENT TO SITE-Perennial Stream
Category Value: Contamination Unknown
NPL Status: Final
Category Description: SURFACE WATER ADJACENT TO SITE-Pond
Category Value: Contamination Unknown

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)
Facility Registry System (FRS)

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
GLEN COVE	S102400975	GLEN COVE STATION	AND GLEN ST STATION	11542	NY Spills
GLEN COVE	U003877877	NORTH SHORE UNIV HOSP GLEN COVE (M	101 ST ANDREWS LN	11542	UST
GLEN COVE	S102960470	GIOVANNIELLO RESIDENCE	23 EAST AVENUE/ELM		LTANKS
GLEN COVE	S102559227	GLEN COVE DAY CARE CENTER	CARNEY STREET/ WELLFIELD	11542	NY Spills
GLEN COVE	1000370563	FAIRVIEW VOLKSWAGEN SERVICE	3A CEDAR SWAMP RD	11542	RCRIS-SQG, FINDS
GLEN COVE	S103574669	SOLOMAN SCHECTER SCHOOL	CEDAR SWAMP ROAD	11542	NY Spills
GLEN COVE	S104649261		CEDAR SWAMP ROAD	11542	NY Spills
GLEN COVE	U003845866	GLEN COVE DANAS HWY PUMP STATION	DANIS AVE	11542	UST, AST
GLEN COVE	S100559858	CITY OF GLEN COVE	DANIS HIGHWAY	11542	LTANKS
GLEN COVE	S103484189	IN GLEN COVE HARBOR	GLEN COVE HARBOR	11542	NY Spills
GLEN COVE	S102094367	HESS S/S	GLEN COVE ROAD	11542	NY Spills
GLEN COVE	S102095767	LIRR	GLEN COVE STATION	11542	NY Spills
GLEN COVE	S102097421	LIRR	GLEN COVE RR STATION	11542	NY Spills
GLEN COVE	S102098644	GAS STATION	W/O GLEN COVE AVENUE	11542	NY Spills
GLEN COVE	S102567497	UNK CONSTRUCTION CO	GLEN COVE ROAD/BREWSTER S	11542	NY Spills
GLEN COVE	S103036527	LILCO	GLEN COVE ROAD/PINE	11542	NY Spills
GLEN COVE	S104281784	DUCK POND ROAD	GLEN COVE	11542	CBS UST
GLEN COVE	S104284816	UNK	GLEN COVE RD/FOREST AVE	11542	NY Spills
GLEN COVE	S104498688	SLOMINS OIL	GLEN COVE RD NY TELE CO	11542	NY Spills
GLEN COVE	S104643486		GLEN STREET E/O PULASKI	11542	NY Spills
GLEN COVE	S104645013		GLEN COVE STATION	11542	NY Spills
GLEN COVE	S104784093	UNK	GLEN COVE AVE / GLEN ST	11542	NY Spills
GLEN COVE	S104784815	UNK	GLEN STREET	11542	NY Spills
GLEN COVE	S104950644		238C GLEN COVE AVENUE	11542	LTANKS
GLEN COVE	S104951196		GLEN COVE RD/NORTHERN BLV	11542	NY Spills
GLEN COVE	S104952810	C&J SERVICE STATION	297 GLEN COVE-GREENVALE	11542	NY Spills
GLEN COVE	U003845869	GLEN COVE PUMP STATION	GLENGARIFF DR	11542	UST
GLEN COVE	1001460204	LONG ISLAND POWER AUTH ORCHARD SUB	NS GROVE ST W OF CEDAR SWAMP	11542	FINDS, RCRIS-LQG
GLEN COVE	S102096095	CITY OF GLEN COVE	KELLY STREET	11542	NY Spills
GLEN COVE	S103938871	GLEN COVE YACHT CLUB	MCLAUGHLIN AVE WEST END	11542	NY Spills
GLEN COVE	U003845864	GLEN COVE CITY HOMES SEWAGE LIFT S	MEADOWFIELD LN	11542	UST
GLEN COVE	U003869066	GLEN COVE SEAMAN RD STA.	SEAMAN RD.	11542	UST, AST
GLEN COVE	U003846527	INACTIVE - GLEN COVE WATER	SEAMAN RD	11542	UST
GLEN COVE	1004761203	GLEN COVE CITY OF SEAMAN RD WELL S	S SEAMAN & W WALNUT RD	11542	RCRIS-SQG, FINDS
GLEN COVE	S102096864	CITY OF GLEN COVE	STP MORRIS AVENUE	11542	NY Spills
GLEN COVE	S102565337	UNK	WALNUT / GLEN STREET	11542	NY Spills

EPA Waste Codes Addendum

Code	Description
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D004	ARSENIC
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D018	BENZENE
D027	1,4-DICHLOROBENZENE
D039	TETRACHLOROETHYLENE
D040	TRICHLOROETHYLENE
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
P022	CARBON DISULFIDE

EPA Waste Codes Addendum

Code	Description
P098	POTASSIUM CYANIDE
P098	POTASSIUM CYANIDE K(CN)
U123	FORMIC ACID (C,T)

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

NPL: National Priority List

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/29/03

Date Made Active at EDR: 03/04/03

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 02/04/03

Elapsed ASTM days: 28

Date of Last EDR Contact: 02/04/03

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1

Telephone 617-918-1143

EPA Region 3

Telephone 215-814-5418

EPA Region 4

Telephone 404-562-8033

EPA Region 6

Telephone: 214-655-6659

EPA Region 8

Telephone: 303-312-6774

Proposed NPL: Proposed National Priority List Sites

Source: EPA

Telephone: N/A

Date of Government Version: 01/29/03

Date Made Active at EDR: 03/04/03

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 02/04/03

Elapsed ASTM days: 28

Date of Last EDR Contact: 02/04/03

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/13/02

Date Made Active at EDR: 01/15/03

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/26/02

Elapsed ASTM days: 20

Date of Last EDR Contact: 12/26/02

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/13/02
Date Made Active at EDR: 01/15/03
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/26/02
Elapsed ASTM days: 20
Date of Last EDR Contact: 12/26/02

CORRACTS: Corrective Action Report

Source: EPA
Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 01/15/03
Date Made Active at EDR: 03/04/03
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 01/21/03
Elapsed ASTM days: 42
Date of Last EDR Contact: 12/09/02

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS
Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 09/09/02
Date Made Active at EDR: 10/28/02
Database Release Frequency: Varies

Date of Data Arrival at EDR: 09/24/02
Elapsed ASTM days: 34
Date of Last EDR Contact: 12/26/02

ERNS: Emergency Response Notification System

Source: National Response Center, United States Coast Guard
Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/01
Date Made Active at EDR: 07/15/02
Database Release Frequency: Annually

Date of Data Arrival at EDR: 07/02/02
Elapsed ASTM days: 13
Date of Last EDR Contact: 01/27/03

FEDERAL ASTM SUPPLEMENTAL RECORDS

BRS: Biennial Reporting System

Source: EPA/NTIS
Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/99
Database Release Frequency: Biennially

Date of Last EDR Contact: 12/17/02
Date of Next Scheduled EDR Contact: 03/17/03

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices
Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: N/A
Database Release Frequency: Varies

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

ROD: Records Of Decision

Source: EPA
Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/09/03
Database Release Frequency: Annually

Date of Last EDR Contact: 01/07/03
Date of Next Scheduled EDR Contact: 04/07/03

DELISTED NPL: National Priority List Deletions

Source: EPA
Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/29/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/04/03
Date of Next Scheduled EDR Contact: 05/05/03

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA
Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 01/14/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation
Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 11/30/02
Database Release Frequency: Annually

Date of Last EDR Contact: 01/23/03
Date of Next Scheduled EDR Contact: 04/21/03

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 01/16/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

MINES: Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959

Date of Government Version: 09/10/02
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/03/03
Date of Next Scheduled EDR Contact: 03/31/03

NPL LIENS: Federal Superfund Liens

Source: EPA
Telephone: 205-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/91
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/27/03
Date of Next Scheduled EDR Contact: 05/26/03

PADS: PCB Activity Database System

Source: EPA
Telephone: 202-564-3887

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/20/02
Database Release Frequency: Annually

Date of Last EDR Contact: 02/10/03
Date of Next Scheduled EDR Contact: 05/12/03

RAATS: RCRA Administrative Action Tracking System

Source: EPA
Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 12/10/02
Date of Next Scheduled EDR Contact: 03/10/03

TRIS: Toxic Chemical Release Inventory System

Source: EPA
Telephone: 202-260-1531

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/00
Database Release Frequency: Annually

Date of Last EDR Contact: 12/26/02
Date of Next Scheduled EDR Contact: 03/24/03

TSCA: Toxic Substances Control Act

Source: EPA
Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/98
Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 12/10/02
Date of Next Scheduled EDR Contact: 03/10/03

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA
Telephone: 202-564-2501

Date of Government Version: 10/24/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/26/02
Date of Next Scheduled EDR Contact: 03/24/03

SSTS: Section 7 Tracking Systems

Source: EPA
Telephone: 202-564-5008

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/00
Database Release Frequency: Annually

Date of Last EDR Contact: 01/21/03
Date of Next Scheduled EDR Contact: 04/21/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-564-2501

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/24/02

Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/26/02

Date of Next Scheduled EDR Contact: 03/24/03

STATE OF NEW YORK ASTM STANDARD RECORDS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation

Telephone: 518-402-9553

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/01/02

Date Made Active at EDR: 11/12/02

Database Release Frequency: Annually

Date of Data Arrival at EDR: 10/22/02

Elapsed ASTM days: 21

Date of Last EDR Contact: 02/24/03

SWF/LF: Facility Register

Source: Department of Environmental Conservation

Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/31/01

Date Made Active at EDR: 04/18/02

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 03/28/02

Elapsed ASTM days: 21

Date of Last EDR Contact: 02/03/03

LTANKS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 01/28/03

UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 01/28/03

CBS UST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that store regulated hazardous substances in underground tanks of any size

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/02
Date Made Active at EDR: 03/22/02
Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02
Elapsed ASTM days: 30
Date of Last EDR Contact: 01/28/03

MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC
Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/02
Date Made Active at EDR: 03/22/02
Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/20/02
Elapsed ASTM days: 30
Date of Last EDR Contact: 01/28/03

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation
Telephone: 518-402-9711

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Government Version: 12/17/02
Date Made Active at EDR: 01/16/03
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 12/27/02
Elapsed ASTM days: 20
Date of Last EDR Contact: 12/16/02

SWRCY: Registered Recycling Facility List

Source: Department of Environmental Conservation
Telephone: 518-402-8705
A listing of recycling facilities.

Date of Government Version: 07/17/00
Date Made Active at EDR: 09/13/00
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/24/00
Elapsed ASTM days: 20
Date of Last EDR Contact: 02/19/03

SWTIRE: Registered Waste Tire Storage & Facility List

Source: Department of Environmental Conservation
Telephone: 518-402-8694

Date of Government Version: 11/01/02
Date Made Active at EDR: 03/04/03
Database Release Frequency: Annually

Date of Data Arrival at EDR: 02/18/03
Elapsed ASTM days: 14
Date of Last EDR Contact: 02/18/03

STATE OF NEW YORK ASTM SUPPLEMENTAL RECORDS

HSWDS: Hazardous Substance Waste Disposal Site Inventory

Source: Department of Environmental Conservation
Telephone: 518-402-9564

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

Date of Government Version: 09/01/02
Database Release Frequency: Annually

Date of Last EDR Contact: 03/03/03
Date of Next Scheduled EDR Contact: 06/02/03

AST: Petroleum Bulk Storage

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Registered Aboveground Storage Tanks.

Date of Government Version: 01/01/02
Database Release Frequency: Varies

Date of Last EDR Contact: 01/28/03
Date of Next Scheduled EDR Contact: 04/28/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CBS AST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/02

Database Release Frequency: Varies

Date of Last EDR Contact: 01/28/03

Date of Next Scheduled EDR Contact: 04/28/03

MOSF AST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/02

Database Release Frequency: Varies

Date of Last EDR Contact: 01/28/03

Date of Next Scheduled EDR Contact: 04/28/03

SPILLS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 01/01/02

Database Release Frequency: Varies

Date of Last EDR Contact: 01/28/03

Date of Next Scheduled EDR Contact: 04/28/03

MANIFEST: Facility and Manifest Data

Source: Department of Environmental Conservation

Telephone: 518-402-8651

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 09/12/02

Database Release Frequency: Annually

Date of Last EDR Contact: 03/03/03

Date of Next Scheduled EDR Contact: 06/02/03

LOCAL RECORDS**CORTLAND COUNTY:****Cortland County Storage Tank Listing**

Source: Cortland County Health Department

Telephone: 607-753-5035

Date of Government Version: 11/15/02

Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/03/03

Date of Next Scheduled EDR Contact: 06/02/03

Cortland County Storage Tank Listing

Source: Cortland County Health Department

Telephone: 607-753-5035

Date of Government Version: 11/15/02

Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/03/03

Date of Next Scheduled EDR Contact: 06/02/03

NASSAU COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Registered Tank Database

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 01/06/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/03/03
Date of Next Scheduled EDR Contact: 05/05/03

Registered Tank Database

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 08/13/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/03/03
Date of Next Scheduled EDR Contact: 05/05/03

Storage Tank Database

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000

Date of Government Version: N/A
Database Release Frequency: Varies

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

Storage Tank Database

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000

Date of Government Version: 11/22/02
Database Release Frequency: Varies

Date of Last EDR Contact: 02/11/03
Date of Next Scheduled EDR Contact: 05/12/03

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 01/23/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

Petroleum Bulk Storage Database

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 01/23/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

SUFFOLK COUNTY:

Storage Tank Database

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521

Date of Government Version: 12/31/01
Database Release Frequency: Annually

Date of Last EDR Contact: 12/04/02
Date of Next Scheduled EDR Contact: 03/03/03

Storage Tank Database

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521

Date of Government Version: 12/31/01
Database Release Frequency: Annually

Date of Last EDR Contact: 12/04/02
Date of Next Scheduled EDR Contact: 03/03/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WESTCHESTER COUNTY:

Listing of Storage Tanks

Source: Westchester County Department of Health
Telephone: 914-813-5161
Listing of underground storage tanks in Westchester County.

Date of Government Version: 01/24/03
Database Release Frequency: Varies

Date of Last EDR Contact: 03/03/03
Date of Next Scheduled EDR Contact: 06/02/03

Listing of Storage Tanks

Source: Westchester County Department of Health
Telephone: 914-813-5161
Listing of aboveground storage tanks in Westchester County.

Date of Government Version: 01/24/03
Database Release Frequency: Varies

Date of Last EDR Contact: 03/03/03
Date of Next Scheduled EDR Contact: 06/02/03

EDR PROPRIETARY HISTORICAL DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

STATE OF NEW YORK BROWNFIELDS DATABASES RECORDS

Brownfields: Brownfields Site List

Source: Department of Environmental Conservation
Telephone: 518-402-9764

Date of Government Version: 05/22/02
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 12/16/02
Date of Next Scheduled EDR Contact: 03/17/03

VCP: Voluntary Cleanup Agreements

Source: Department of Environmental Conservation
Telephone: 518-402-9711

The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Government Version: 09/27/02
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 12/16/02
Date of Next Scheduled EDR Contact: 03/17/03

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

STREET AND ADDRESS INFORMATION

© 2003 Geographic Data Technology, Inc., Rel. 07/2001. This product contains proprietary and confidential property of Geographic Data Technology, Inc. Unauthorized use, including copying for other than testing and standard backup procedures, of this product is expressly prohibited.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

GLEN COVE SUBSTATION
GROVE AVENUE
GLEN COVE, NY 11542

TARGET PROPERTY COORDINATES

Latitude (North):	40.856602 - 40° 51' 23.8"
Longitude (West):	73.622704 - 73° 37' 21.7"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	616088.5
UTM Y (Meters):	4523539.5

EDR's GeoCheck Physical Setting Source Addendum has been developed to assist the environmental professional with the collection of physical setting source information in accordance with ASTM 1527-00, Section 7.2.3. Section 7.2.3 requires that a current USGS 7.5 Minute Topographic Map (or equivalent, such as the USGS Digital Elevation Model) be reviewed. It also requires that one or more additional physical setting sources be sought when (1) conditions have been identified in which hazardous substances or petroleum products are likely to migrate to or from the property, and (2) more information than is provided in the current USGS 7.5 Minute Topographic Map (or equivalent) is generally obtained, pursuant to local good commercial or customary practice, to assess the impact of migration of recognized environmental conditions in connection with the property. Such additional physical setting sources generally include information about the topographic, hydrologic, hydrogeologic, and geologic characteristics of a site, and wells in the area.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata. EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property: 2440073-G5 HICKSVILLE, NY
Source: USGS 7.5 min quad index

GENERAL TOPOGRAPHIC GRADIENT AT TARGET PROPERTY

Target Property: General ENE

Source: General Topographic Gradient has been determined from the USGS 1 Degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u>	FEMA Flood <u>Electronic Data</u>
NASSAU, NY	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 36059C0126F

Additional Panels in search area: 36059C0107F
36059C0128F
36059C0109F

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	NWI Electronic <u>Data Coverage</u>
HICKSVILLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Site-Specific Hydrogeological Data*:

Search Radius: 2.0 miles
Location Relative to TP: 1/2 - 1 Mile WSW
Site Name: Glen Cove Gas Plant
Site EPA ID Number: NYD986881696
Groundwater Flow Direction: GENERALLY S.
Inferred Depth to Water: approximately 67 feet.
Hydraulic Connection: Information is not available about the hydraulic connection between the surficial and lower aquifers, but the two aquifers underlying the surficial aquifer are hydraulically connected.
Sole Source Aquifer: A sole source aquifer is present at or near the site
Data Quality: Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 2.000 Miles.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Cenozoic
System: Quaternary
Series: Pleistocene
Code: Qp (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
sandy loam
loamy sand
sand

Surficial Soil Types: silt loam
sandy loam
loamy sand
sand

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: stratified
gravelly - coarse sand
very gravelly - sand
coarse sand

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

According to ASTM E 1527-00, Section 7.2.2, "one or more additional state or local sources of environmental records may be checked, in the discretion of the environmental professional, to enhance and supplement federal and state sources... Factors to consider in determining which local or additional state records, if any, should be checked include (1) whether they are reasonably ascertainable, (2) whether they are sufficiently useful, accurate, and complete in light of the objective of the records review (see 7.1.1), and (3) whether they are obtained, pursuant to local, good commercial or customary practice." One of the record sources listed in Section 7.2.2 is water well information. Water well information can be used to assist the environmental professional in assessing sources that may impact groundwater flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	NY0017945	1/8 - 1/4 Mile SSW

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A2	NYWS005882	1/8 - 1/4 Mile SW

PHYSICAL SETTING SOURCE MAP - 939229.1s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data



TARGET PROPERTY: Glen Cove Substation
ADDRESS: Grove Avenue
CITY/STATE/ZIP: Glen Cove NY 11542
LAT/LONG: 40.8566 / 73.6227

CUSTOMER: GEI Consultants Inc.
CONTACT: Lynn Willey
INQUIRY #: 939229.1s
DATE: March 10, 2003 2:27 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
SSW
1/8 - 1/4 Mile
Higher

FRDS PWS NY0017945

PWS ID: NY0017945 PWS Status: Active
 Date Initiated: 7706 Date Deactivated: Not Reported
 PWS Name: STUART,WALKER,ZIMMER WATER SUP
 68 GLEN COVE AVENUE
 OYSTER BAY (T), NY 11542

Addressee / Facility: Not Reported

Facility Latitude: 40 51 16 Facility Longitude: 073 37 29
 City Served: OYSTER BAY (T)
 Treatment Class: Untreated Population: 00000041

PWS currently has or had major violation(s) or enforcement: No

A2
SW
1/8 - 1/4 Mile
Higher

NY WELLS NYWS005882

Well Id:	NY2902826	System name:	GLEN COVE CITY
System Id:	N-03892	Well name:	WELL 1S OOS (VOCS)
Type:	WL	Active?:	A
County:	NASSAU COUNTY	Latitude:	405116 000
Longitude:	733729 000	Slec_type_:	AC
Agency:	SUOZZI, THOMAS		
Address:	GLEN COVE CITY HALL 9-13 GLEN ST.		
City/State/Zip:	GLEN COVE NY 11542		
Phone:	516-676-2000		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: New York Radon Basement Screening Results for 11542:

Number of sites tested: 5

Average (pCi/L)	Geometric Mean (pCi/L)	Geometric Std Dev.	Maximum (pCi/L)	% Homes >4 pCi/L	% Homes >20 pCi/L
1.8	1.6	1.8	2.7	0.0	0.0

State Database: New York Radon Basement Screening Results for GLEN COVE:

Number of sites tested: 4

Average (pCi/L)	Geometric Mean (pCi/L)	Geometric Std Dev.	Maximum (pCi/L)	% Homes >4 pCi/L	% Homes >20 pCi/L
2.0	1.8	1.8	2.7	0.0	0.0

Federal EPA Radon Zone for NASSAU County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for NASSAU COUNTY, NY

Number of sites tested: 226

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.640 pCi/L	98%	2%	0%
Basement	1.100 pCi/L	98%	2%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the national Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health
Telephone: 518-458-6731

New York Facility and Manifest Data

Source: NYSDEC
Telephone: 518-457-6585
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

RADON

New York Radon Basement Screening Results

Source: New York Department of Health
Telephone: 518-402-7556

Area Radon Information

Source: USGS
Telephone: 303-202-4210
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA
Telephone: 202-564-9370
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration